

**CITY OF DANBURY**  
**DEPARTMENT OF PUBLIC WORKS**



**155 DEER HILL AVENUE**  
**DANBURY, CONNECTICUT 06810**  
**(203) 797-4537 FAX (203) 796-1586**

**MAYOR**  
**Honorable Mark D. Boughton**

**PUBLIC WORKS DIRECTOR**  
**Antonio Iadarola, P.E.**

April 28, 2014

Honorable Mayor Mark D. Boughton  
Honorable Members of the Danbury City Council  
155 Deer Hill Avenue  
Danbury, CT 06810

**RE: Monthly Report for March 2014**

Dear Mayor Boughton and Members of the City Council:

I am pleased to present the Public Works Department report for the month of March.

The month of March ended with the arrival of a significant snow and sleet event. The crews were deployed to perform what will, hopefully, be the last storm event of the season. I would like to thank the Highway, Parks Maintenance, Equipment Maintenance, Forestry and Public Buildings Divisions for their dedication and the long hours of plowing, sanding and shoveling this past winter. It was an unusually tough winter and everyone is looking forward to some warm spring weather.

Crews have been out on a daily basis addressing the massive number of potholes. The last of the Christmas trees were collected and the sweepers will be brought soon to start cleaning up the sand accumulated over the winter. Work will begin shortly on the preparation of the playing fields for the spring sports programs.

Please take a few moments to review the Division reports for a full scope of the many activities and projects that the Public Works Department is engaged in.

Should you have any questions regarding any of the separately submitted division reports please call me at 203-797-4537.

**Construction Services Report submitted by Thomas Hughes III, Superintendent:**

**Tarrywile Park School House Renovation:** The architectural service for the renovation was awarded to Friar Associates. The project has been bid. J&M Construction has mobilized and begun the renovations. The contractor has ninety (90) contract days to complete the project. We anticipate a June completion. This project is funded through a LOCIP Grant. The contract Administration will be performed in-house by the Construction Services Division.

**Osborne Street at Fifth Street Traffic Signal Installation:** ConnDot project 34-344, Construction Services has been approved by ConnDot to perform the contract administration and inspection of the project, eliminating the need to hire an outside consultant. The contractor, A.M. Rizzo, has completed the civil portion of the project. A.M. Rizzo has completed the project and we are awaiting the City of Danbury Traffic Engineer to accept the project. The semi final inspection will take place in April.

**School Additions: Shelter Rock, Stadley Rough, Park Avenue and Mill Ridge Intermediate:** Construction Services is administrating the school addition projects. All four of the schools have signed contracts and Notices to Proceed documents issued.

Mill Ridge: Rizzo Corporation is moving forward with the interior portion of the project. The roofing has been completed. The media center slab has been poured. The project is on track for a July completion.

Stadley Rough School Phase II work has begun. Rizzo Corporation is completing the interior work. The windows and storefronts have been installed. The masonry precast is presently being installed. The roof has been installed on both additions and the mechanical contractors are 80% complete. The remaining site work plantings, etc are scheduled to start in two weeks. The project is on schedule for a June completion.

Shelter Rock School Phase II work is underway. Rizzo Corporation is completing the interior work and starting the finishes in building additions 1, 2 & 3. The windows and storefronts have been installed. The mechanical contractors are 80% complete. The project is on schedule for a June completion

Park Avenue School Phase II work is underway. The contractor has begun the exterior brick masonry, interior mechanical; framing and drywall on the addition and they are 75% complete. The roof has been installed on the addition. The remaining site work and Phase III work appear to be on track for the August 1<sup>st</sup> contract completion date.

All schools now have a dedicated bus drop off zone. At this time both Rizzo Corporation and Worth Construction have stated they are on schedule and anticipate meeting the contractual completion date for all four school projects.

**East Franklin Street Pump Station:** Hemlock Construction has mobilized and has completed the installation of the new sewer pump station. Hemlock has completed the installation of conduits, sewer force main and sewer laterals. We expect to tie the force main sometime in May.

**Kennedy Park Improvements:** The site work and plantings contract was awarded to D&M Construction Services, Inc. Work will start in April. The contract is being administrated in-house by the Construction Services Division.

Should you have any questions regarding this report, please do not hesitate to call.

**Engineering Report submitted by Farid L. Khouri, P.E., City Engineer:**

The following assessment projects are the only projects pending on the list based on residents' petitions:

1. Butternut Lane, Bayberry Lane and Boxwood Lane Sanitary Sewer Extension: Working on preliminary design and cost estimate.
2. Hawley Road Extension Sanitary Sewer Extension: Working on preliminary design and cost estimate.

**East Franklin Street Bridge/Sanitary Sewer Pump Station:** Bridge work has been completed. We completed the in-house design to relocate the existing sewer in the brook with an above-ground pump station. City contracted with one of our on-call contractors and we are waiting on utility companies to complete their work. Work is 90% complete and will be completed this spring.

**Miscellaneous Schools (Park Avenue, Shelter Rock, Stadley Rough and Mill Ridge):** Construction has started on all schools. We are working with various interior designers and school officials to finalize furniture and equipment to all schools mentioned above. The furniture and equipment packages have been approved by the State for bidding. Delivery and installation are anticipated to start and be completed during summer 2014.

**Spring Street:** In house survey was completed for Phase II & III (the remaining neighborhood enhancement work) which will include new sidewalks, drainage, and pavement improvements. The design for this project was completed and we have received CDBG approval. We are securing releases from property owners, adjacent to our proposed work. The project will be bid out in the spring.

**Foster Street:** In house design and survey to Foster Street from West Street to West Wooster Street was completed and will be out to bid after CDBG approves the project. Survey to Boughton Street and Bank Street was completed and design of these two streets was completed. The entire neighborhood project will be bid out in the spring. We are securing releases from property owners adjacent to our proposed work.

**Kennedy Park:** Surveys have been completed and final design has been completed. Project has been bid out and awarded. Construction will start next month and expect completion of the project prior to the start of the Farmer's Market season, pending weather.

**Traffic Light – Osborne and Fifth Avenue:** The construction of the traffic light has been completed and the traffic light is currently flashing until it is accepted by the City.

**Traffic Light – Lake Avenue/Shannon Ridge:** All plans and specifications that have been completed, and approved by the State, have been secured. We received confirmation from the State to rebid the project. The project has been bid out.

**Skate Park:** Project was designed and surveyed in-house. City is working with Childscapes to order the equipment. Work is anticipated to start late spring and will be completed this summer.

**Still River Channel Maintenance:** Property owners along the Still River Channel, who will be affected by and where access will be required, have been notified and permission to access the Still River Channel right of way through their property has been requested. We have secured most of the sign offs from property owners. Bids/quotes have been solicited, with this required regular maintenance work to begin this spring, weather dependent.

**Traffic Engineer and his Technicians** are reviewing various land-use development plans and are handling public complaints and routine repairs and maintenance of traffic control signal devices and pavement markings. The Backus Avenue corridor traffic lights plans and specifications have been accepted by the State and were bid out. Construction started and will be completed by spring of 2014.

**Staff Engineers** are reviewing various site plans, water and sewer applications, special exception applications, and subdivision applications for various land-use approvals of on-going development projects throughout the City. Field inspections of sanitary sewer, water mains and new roads are performed regularly on various developments. The Staff Engineers also review various drainage problems which may include site visits, analysis and design.

**Survey Crew** verifies various R.O.W., and prepares surveys and easements for in-house design of City Projects, and assists other divisions in locating utilities in the field.

Should you have any questions regarding this report or any other issues related to your Engineering Division, please do not hesitate to contact me at (203) 797-4641.

**Highway Division Report submitted by Duke Hart, Superintendent of Public Services:**

The Highway Division was extremely busy during the month of March. There were two (2) weather related events. Mailbox repairs were performed after each storm. Snow removal continued at schools, intersection and dead end road where needed. One crew spent several days cutting ice on frozen roads throughout the City. Weather permitting the same crew was dispatched to patch and grade a majority of dirt roads. There was an emergency manhole repair performed on Maple Avenue and White Street. The crews have been repairing damaged lawns and curbs. The last of the Christmas trees were also collected.

Crews were dispatched for pothole repair as weather permitted. Other crews were dispatched to perform mailbox repairs, fill sand barrels and patrol for litter and debris. The sign crew installed new signs at four locations and made numerous repairs.

The recycling truck has been available to the residents as conditions permit. The garbage truck is dispatched daily to empty trash cans and other debris in the downtown area.

Should you have any questions regarding this report, please feel free to contact me at 203-797-4605.

**Parks Maintenance Report submitted by Duke Hart, Superintendent of Public Services:**

March was a very busy month for the Parks Department. There were (2) two weather events during the month. With the winter weather slowing down, there was time to catch up on litter collection in the downtown areas, schools and parks. The crews were pleased to assist the Highway Division with the collection of the last of the Christmas trees. Winter maintenance on the mowing equipment has been completed for the spring season.

Should you have any questions regarding this report, please feel free to contact me at 203-796-1558.

**Forestry Division Report submitted by Mark Miller, Foreman, and Forestry Department:**

During the month of March, the Forestry Division devoted the majority of their time to performing tree removals. Trees were removed at the following locations: Padanaram Road due to beaver activity, Rocky Glen Road, Old Sugar Hollow Road, Hayestown Road, Brandon Drive, Apple Blossom Lane, Firelight Drive, Long Ridge Road, Beaver Brook Road, and City Hall. Work was also performed on Tamarack Avenue with CL&P.

Should you have any questions regarding this report, please feel free to contact me at 203-797-4609.

**Public Buildings Report submitted by Rick Palanzo, Superintendent of Public Buildings:**

**City Hall:** The priority for City Hall is an energy efficiency upgrade for the heating boilers and water heater at City Hall. I am working with the Directors of Public Works and Finance to expedite this project to be sufficiently complete before the next heating season. The upgrade will save fuel while producing a comfortable environment, one that will provide a backup heating solution should one boiler fail. This is a top priority project for 2014 as we currently have only one marginally functioning boiler.

**Farrington Woods Park – Westside Open Space:** Mr. Ahern occupies the chow house at the Farrington Woods Park in compliance with the agreement approved by the City Council.

Our next project at Farrington Woods will be to take care of the roof, siding and porch of the main house. This project will begin as soon as the Loci funding becomes available.

**Danbury Public Schools:** There are two high voltage transformers at Danbury High School which CL&P has stated belong to the school which are of the older design containing PCB's. This year we are working with our consulting electrical engineer to remove the PCB laden transformers and replace them with safer models. Additionally, these transformers are in the school building. It is our goal to relocate them outside of the school building which will increase safety and performance. We have retained Friar Associates Engineers to perform the electrical engineering for the city. They have their design and replacement work nearly completed. They are preparing a budget, which includes proper handling and disposal of the PCB laden

transformers. The project will be bid in the spring to be performed while school is out for summer vacation.

There are three school buildings that require new roofs; Morris Street School, Great Plain School and the Educational Services Center. We have applied for state reimbursement from the State School Facilities Department for Morris Street roof. Time does not permit us to apply for Great Plain and the Educational Services Center replacement roofs. Great Plain School roof requires an immediate replacement. It has a substantial number of leaks and should not be deferred for another year.

**General:** These are issues and projects that are being worked on by the public buildings team:

1) The underground heating fuel storage tanks are coming of age. We will have them reviewed by professional engineers and begin a replacement program. We have retained TRC to provide their engineering prowess in this endeavor. TRC have begun their investigation and will consider replacement with aboveground tanks, which are less of a DEEP compliance problem than underground tanks.

2) The roofs of our public buildings ( schools) are reaching the end of their watertight life and will require replacement. The roofs have been surveyed by an independent roof consultant and categorized by condition. We are utilizing the roof report to begin our replacement program. Roofs today are very costly and it may be in the best interest of the city to consider a roof bond to get the majority of the roofs replaced before internal building damage occurs.

3) The unusually cold weather is stressing the heating systems in our aging buildings. We are using more heating fuel than originally anticipated.

**Requests for Maintenance Service:** Due to some office related issues, we will submit March and April statistical reports next month.

Should you have any questions regarding this report, please do not hesitate to contact me at 203-797-4584. I am happy to discuss any portion of this report with you.

**Public Utilities Report submitted by David Day, Superintendent of Public Utilities:**

Enclosed is the monthly report to the Common Council for activities that took place in March 2014. Also attached is the Public Utilities Vehicle Maintenance Report.

As of April 15, 2014 there are 56 hydrants out of service. I will be happy to review the information with you.

Sincerely,

*Antonio Iadarola, P.E.*

Antonio Iadarola, P.E.  
Director of Public Works

# APPENDIX "A"

## PUBLIC BUILDINGS

CITY OF DANBURY  
PUBLIC BUILDINGS DIVISION  
WORK REQUEST REPORT FOR FEBRUARY 2014

Work Requests received this month	235
Work Requests completed this month	201

Category	Total Labor Hours
Alarms	0.00
Carpentry	7.50
Electrical	180.25
HVAC	20.00
Locksmith	0.00
Maintenance	39.00
Mechanical	30.00
Plumbing	175.50
Roofing	11.00
Snow Plowing	176.25

Labor Hours City Buildings	164.50
Labor Hours School Buildings	475.00

TO : City Council - City of Danbury  
 FROM : David Day, Superintendent of Public Utilities  
 DATE : April 10, 2014

RE : WATER DEPARTMENT REPORT: MARCH 2014

\*\*\*\*\*

I. WATER PRODUCTION :

A) Margerie Water Treatment Facility :	<u>73.7</u>	<u>MG.</u>
B) West Lake Water Treatment Facility :	<u>90.3</u>	<u>MG.</u>
C) Kenosia Well Field :	<u>0</u>	<u>MG.</u>
D) Osborne Street Well Field :	<u>0</u>	<u>MG.</u>
E) Other :	<u>0</u>	<u>MG.</u>

( MG. = Million Gallons )

II. RAINFALL :

A) Month :	<u>3.4</u>	<u>inches</u>
B) Past 12 Months (running total) :	<u>44.2</u>	<u>inches</u>
C) Current Year (Jan.- Current Mo.) :	<u>9.9</u>	<u>inches</u>

III. WATER STORAGE : date: 3/4/2014

	<u>Current Reading</u>		<u>Historical Average</u>	
A) East Lake Reservoir :	<u>91.1</u>	%	<u>91.6</u>	%
B) Margerie Lake Reservoir :	<u>88.0</u>	%	<u>92.8</u>	%
C) West Lake Reservoir :	<u>90.2</u>	%	<u>91.9</u>	%
D) Total :	<u>89.4</u>	%	<u>92.2</u>	%

IV. WATER PUMPED :

A) Park Avenue Pump Station :	<u>0</u>	<u>MG.</u>
B) Padanaram(High School) Pump Station :	<u>5.43</u>	<u>MG.</u>
C) Shelter Rock Pump Station :	<u>2.56</u>	<u>MG.</u>

D) WestConn Pump Station :	2.08	MG.
E) Margerie Pump Station :	2.54	MG.
F) Pleasant Acres:	1.49	MG.
G) Nabby Road:	1.61	MG.
H) Harvest Hill:	2.31	MG.
I) West Lake High Service :	45.3	MG.
J) Total Water Pumped (A-I) :	63.3	MG.
	( MG. = Million Gallons )	

V. WATER TRANSFERRED :

A) East Lake to Margerie Reservoir :	0	MG.
B) Padanaram to Margerie Reservoir :	0	MG.
C) Kohanza to West Lake Reservoir :	0	MG.
D) Kenosia Diversion to West Lake Reservoir :	0	MG.
E) Kenosia Wells to West Lake Reservoir :	0	MG.
F) Total Water Transferred (A-E):	0	MG.
	( MG. = Million Gallons )	

VI. ALGAE CONTROL :

A) None	
B)	
C)	

VII. SURVEY OF WATER SOURCES :

A) Disinfection by-products (Trihalomethanes and Haloacetic Acids) testing of designated locations in water distribution system.
B)

VIII. SUPERINTENDENTS NOTES :

---

# M E M O R A N D U M

---

**DATE:** April 14, 2014  
**TO:** City of Danbury, Common Council  
**FROM:** *David M. Day, P.E.*, Superintendent  
**RE:** Sanitary Sewer Collection System Maintenance– March 2014

Complaints: Bypasses 7 Slow Running 11

Number Received: 18

Number Completed: 18

Pipe Cleaned: 3,200 LFT

Gallons of Water Used: 18,000 Gal

Pipe Inspected: 3,200 LFT

COMMENTS:



**MAINTENANCE REPORT - BUILDING # 6**  
**GENERAL FUND**  
**March-2014**

3/3/2014	39DA	POLICE	OIL LEAK
	127DA	BLD	TIRES BELT SERVICE
3/4/2014	127DA	BLD	TIRES BELT SERVICE
	270DA	POLICE	SERVICE TIRE OIL LEAK
	DET	POLICE	ELECTRICAL
3/5/2014	289DA	POLICE	BATTERY
	263DA	HEALTH	WINDOW WASHERS
	274DA	HEALTH	FLAT ACELERATOR CABLE
3/6/2014	4DA	POLICE	BATTERY
	202DA	HEALTH	ELECTRICAL
3/7/2014		POLICE	REPAIR TIRES
	334DA	POLICE	BATTERY
	255DA	POLICE	LIGHTS
	190DA	POLICE	SERVICE
3/10/2014	270DA	POLICE	OIL LEAK SERVICE
	186DA	POLICE	STOP LIGHTS
3/11/2014	DET	POLICE	BATTERY SERVICE
	228DA	K9	TIRES SERVICE BRAKES
	380DA	ENG	FLAT R/C
3/12/2014	228DA	K9	TIRES SERVICE BRAKES
	DET	POLICE	BATTERY SERVICE
	DET	POLICE	LIGHTS
3/13/2014	262DA	POLICE	CLUSTER
	18DA	POLICE	OIL LEAK
3/14/2014	262DA	POLICE	CLUSTER
	287DA	POLICE	SERVICE TIRE OIL LEAK
3/17/2014	262DA	POLICE	CLUSTER REAR DEFOGER
	DET	POLICE	SERVICE
3/18/2014	262DA	POLICE	AIR BAG LIGHT
	5DA	POLICE	WIPER MOTOR
	265DA	POLICE	BLEND DOOR MOTOR
	DET	POLICE	SERVICE
3/19/2014	5DA	POLICE	WIPERS
	265DA	POLICE	BLEND DOOR MOTOR
	192DA	AIRPORT	SKIP
3/20/2014	8DA	POLICE	SHUTS DOWN
	225DA	POLICE	MIRIOR
	181DA	POLICE	BATTERY LIGHT
3/21/2014	278DA	POLICE	SERVICE THOTLE BODY
	181DA	POLICE	BATTERY LIGHT
3/24/2014	36DA	POLICE	VIBRATION STEERING

	SWAT	POLICE	ENGINE LIGHT DOOR LOCK
3/25/2014	SWAT	POLICE	ENGINE LIGHT DOOR LOCK SERVICE
	36DA	POLICE	VIBRATION STEERING
3/26/2014	DET	POLICE	ELECTRICAL
	36DA	POLICE	STEERING SHAFT
	257DA	POLICE	STEERING SHAFT
3/27/2014	36DA	POLICE	DRIVESHAFT
	8DA	POLICE	WATERPUMP
3/28/2014	333DA	POLICE	EXHAUST LEAK
	181DA	POLICE	ELECTRICAL
3/31/2014	36DA	POLICE	DRIVESHAFT CUPLERS CENTER BEARING
	12DA	POLICE	THERMOSTAT

**MAINTENANCE REPORT - BUILDING # 6  
WATER FUND  
MARCH 2014**

3/3/2014	350DA	WATER	SERVICE
3/10/2014	387DA	WATER	MIRIOR
3/17/2014	383DA	WATER	SERVICE
3/27/2014	323DA	WATER	FLAT
3/31/2014	369DA	WATER	STARTER POWERSTEERING RACK

## EQUIPMENT MAINTENANCE

<b>Date</b>	<b>Vehicle</b>	<b>Repair Provided</b>	<b>Department</b>
2/1/2014	83	Seasonal	Highway
	121DA	Noise in dash	Unit
	247DA	Service	Building Maintenance
	Tow Motor	Runs Bad	Garage 4
2/3/2014	162DA	Jump Start	Inspector Building
	29	Plow fittings	Highway
	15	Brake Adj	Highway
	18	Plow blade stuck in auger	Highway
	50	Hyd Oil	Highway
	349Da	Air tires	Parks
	44	Springs	Highway
	14	Auger and Brgs	Highway
	15	Plow fittings	Highway
	56DA	Oil Leak	Parks
	198Da	Strobes	Building Maintenance
	86	Carrier brg bracket broke	Highway
	25	Air line	Highway
	16	Wipers	Highway
	33	Plow Lights	Highway
	77	Trans light	Highway
	2	Install Plow	Highway
	48	Noice in drive train	Highway
	21	Turbo hose	Highway
	6	Auger Stuck	Highway
	8	Plow Lights	Highway
	4	Flashers	Highway
	10	Auger Stuck	Highway
2/4/2014	33	Exhaust Stack	Highway
	48	Water Pump	Highway
	56DA	Oil cooler o-ring	Parks
	37	Plow Controls	Highway
	35	Fuel Problem	Highway
	86	Carrier brg bracket broke	Highway
	50	Mud Flap	Highway
	83	Seasonal	Highway
	105DA	Service	Highway
	21	Turbo hose	Highway

2/5/2014	33	Anti-freeze leak	Highway	
	87	Spinner	Highway	
	54	Lug nuts	Highway	
	16	Wipers	Highway	
	31	Plow Problem	Highway	
	7	Wipers	Highway	
	12	Lost Hyd/noise	Highway	
	46	Swap	Highway	
	87	RRO Flat	Highway	
	29	Hyd Line and air leak	Highway	
	33	Air Leak	Highway	
	2/6/2014	12	PTO Hyd pump	Highway
		247DA	Plow Frame	Parks
		210DA	Battery cable	Building Maintenance
286DA		Service	Building Maintenance	
26		Electrical/ lights	Highway	
2/7/2014	83	Seasonal	Highway	
	83	Seasonal	Highway	
	26	Electrical/ RR Can	Highway	
	19	Adj Brakes	Highway	
	47	Adj Brakes	Highway	
	247DA	Install Plow	Parks	
	59	Cutting edge	Highway	
	12	PTO Hyd pump	Highway	
	5	Air Leak	Airport	
	28	Exhaust	Highway	
2/8/2014	83	Seasonal	Highway	
	28	Exhaust	Highway	
	12	PTO Hyd pump	Highway	
	86	Hyd Leak	Highway	
	46	LR Stud and nuts	Highway	
	87	Spinner	Highway	
	2/9/2014	30	Adj Brakes	Highway
24		PTO	Highway	
71DA		Brakes	Highway	
40		Seasonal	Highway	
7		Check Fluids	Highway	
20		LR Fender bracket	Highway	
30		Rear slaker	Highway	
26		Air Mod	Highway	
2/11/2014	40	Seasonal	Highway	
	26	Mod Valve mud flap	Highway	
	30	Slack Adj	Highway	
	37	Exhaust	Highway	

	48	Chute loose	Highway
	44	PTO	Highway
	19	Grease sander	Highway
	48	Hyd oil	Highway
	33	Fender	Highway
	34	Stobes	Highway
2/13/2014	33	Plow Frame	Highway
	37	SPINNER	Highway
	83	Seasonal	Highway
	28	Won't start	Highway
	31	Brake Adj	Highway
	9	Check Fluids	Highway
	12	Exhaust	Highway
	19	Front end	Highway
	48	LR Tires	Highway
	26	LR Tires	Highway
	23	Air lines	Highway
	12	Side dump	Highway
	26	Plow Cable	Highway
	4	Lights	Highway
	10	Wipers	Highway
	1	Plow Lights	Highway
	28	Coolant leaks	Highway
	30	Adj Brakes	Highway
	21	Wipers	Highway
	24	Wipers	Highway
	349DA	Wipers	Parks
	28DA	Electrical	Parks
	37	Hyd oil	Highway
	31	Hyd Leak	Highway
	264DA	Wipers	Airport
	31	Hydn leak	Highway
	8	Trans leak	Highway
	33	Plow lights	Highway
	87	Spinner	Highway
	31	Plow hoses	Highway
2/14/2014	19	RF tire	Highway
	24	Shifter	Highway
	85	Sander Cross bar	Highway
	7	Check Fluids	Highway
	21	Truck stuck	Highway
	TW1	Battery cable	Highway
	30	Craked wheel	Highway
2/15/2014	19	RF tire	Highway

	86	Weld cable	Highway
	32	Plow blade	Highway
	92	Plow	Highway
	8	Coolant leaks	Highway
	5	Broken Axle	Highway
	4	Plow fittings	Highway
2/16/2014	9	Engine oil	Highway
	37	Hyd Oil	Highway
	10	Spinner control knob	Highway
	7	Coolant leaks	Highway
2/18/2014	86	Air Valve	Highway
	28	Trans	Highway
	32	Check Squeak	Highway
	3	Plow fittings	Highway
	12	Side dump	Highway
	29	Hyd oil	Highway
	21	Plow fittings	Highway
	17	RR fender	Highway
	33	Adj Brakes	Highway
	26	Exhaust Leak	Highway
	34	Cracked rim	Highway
	44	Spinner control knob	Highway
	77	RR Can	Highway
	37	Front Hub seal	Highway
	31	Broken Auger	Highway
	390DA	Service	Tree
	5	Remove wheel hub	Highway
2/19/2014	40	Seasonal	Highway
	5	Differential	Highway
	17	Brake lights	Highway
	26	LR Tires	Highway
	8	RR Tire	Highway
	7	Mirrors	Highway
	3	Exhaust brake	Highway
	23	RR Axle	Highway
2/20/2014	40	Seasonal	Highway
	19	Adj Brakes	Highway
	59	Retorque blade bolts	Highway
	34	Lights	Highway
	162DA	Lights	Inspector Building
	48DA	Service	Highway
	57	Service	Highway
	44	Power steering leak	Highway
	23	Retorque wheels	Highway

	24	Plow Lights	Highway
	272DA	Service	Parks
	34	LR hub	Highway
2/21/2014	40	Seasonal	Highway
	272DA	Front pads/ service	Parks
	34	RR HUB	Highway
	326DA	Wipers	Highway
	26	No start	Highway
	18	Tool box/ lights	Highway
	26	Starter	Highway
2/22/2014	17	Lights	Highway
	11	Jump Start	Highway
2/24/2014	40	Seasonal	Highway
	26	Starter	Highway
	8	Strobes	Highway
	36	Retorque wheels	Highway
	20	Retorque wheels	Highway
	34	Lights	Highway
	30	Brakes	Highway
	44	Str Box	Highway
	28	Dragline	Highway
2/25/2014	30	Brakes	Highway
	28	Dragline	Highway
	28	Repack str wheel	Highway
	47	Adj Brakes	Highway
	121DA	Remove unit decals	Highway
	1	Lights	Highway
	217DA	Service	Highway
	44	Str Box	Highway
	91	CN Wood	Highway
	17	Lights	Highway
	1	Airleak	Highway
	47DA	LR Tail	Parks
	41	Fuel Leak	Highway
	17	Brakes	Highway
	48	Signal and 4 ways	Highway
	15	Adj Brakes	Highway
2/26/2014	83	Wh brgs	Highway
	8	LR air can	Highway
	58	Bucket pin	Highway
	86	Hyd leak	Highway
	37	Springs	Highway
	10	Air leak	Highway
	266DA	Wipers	Airport

	41	Fuel Leak	Highway
	365DA	Service	Highway
	1	Cooling system	Highway
	34	Shuts off	Highway
2/27/2014	25	Clad hands	Highway
	10	Service	Highway
	1	Lights	Highway
	42DA	Air leak	Tree
	34	Fuel Problem	Highway
	365DA	Lights	Parks
	37	Hyd hoses	Highway
	31	Lights	Highway
	171DA	Body pin	Highway
	6	Reverse lights	Highway
2/28/2014	6	Lights	Highway
	34	Fuel/ electrical starter	Highway
	1	Air Compressor	Highway
	326DA	Body won't go down	Highway
	87	Brake adj	Highway
	55	Plow fittings	Highway
	26	Runs bad	Highway
	325DA	Windsheild	Health dept