

CITY OF DANBURY
DEPARTMENT OF PUBLIC WORKS



155 DEER HILL AVENUE
DANBURY, CONNECTICUT 06810
(203) 797-4537 FAX (203) 796-1586

MAYOR
Honorable Mark D. Boughton

PUBLIC WORKS DIRECTOR
Antonio Iadarola, P.E.

January 26, 2015

Honorable Mayor Mark D. Boughton
Honorable Members of the Danbury City Council
155 Deer Hill Avenue
Danbury, CT 06810

RE: Monthly Report for December 2014

Dear Mayor Boughton and Members of the City Council:

I am pleased to present the Public Works Department report for the month of December.

The Public Works Department continues to prepare for any winter emergencies that may arise. Several of Divisions responded to three (3) storm events during the month of December. Following each event, the equipment is inspected and repaired in order to be ready for subsequent storms. The crews were able to engage in various paving and curbing activities as the weather allowed.

The Public Works Department was pleased to prepare the downtown area for the First Night festivities. I appreciate the hard work of the crews and their ability to work together to make the preparation and clean-up for this event to run smoothly.

Please take a few moments to review the Division reports for a full scope of the many activities and projects that the Public Works Department is engaged in.

Should you have any questions regarding any of the separately submitted division reports please call me at 203-797-4537.

Construction Services Report submitted by Thomas Hughes III, Superintendent:

Osborne Street at Fifth Street Traffic Signal Installation: ConnDot project 34-344, Construction Services has been approved by ConnDot to perform the contract administration and inspection of the project, eliminating the need to hire an outside consultant. The contractor, A.M. Rizzo, has completed the punch list and the project is complete. We are in the process of closing the project out with ConnDot.

School Additions: Shelter Rock, Stadley Rough, Park Avenue and Mill Ridge Intermediate: Construction Services is administering the school addition projects. All four of the schools have been issued Certificates of Occupancy allowing the schools to be occupied.

Mill Ridge: Rizzo Corporation is completing several change orders for additional work at the City of Danbury's request. The punch list work has been completed; we are reducing the retainage to 2% as per the contract specifications. The project is in the close out phase.

Stadley Rough School: Rizzo Corporation has completed the punch list work we are reducing the retainage as per the contract specifications to 2%. The project is in the final close out phase.

Shelter Rock School: Rizzo Corporation is in the process of completing some additional change order work requested by the City of Danbury. The punch list work has been completed; we are reducing the retainage to 2% as per the contract specifications. The project is in the final closeout phase.

Park Avenue School: Worth Construction was issued an extensive punch list and there are several open items needing completion. We met with Worth Construction and reviewed their punch list progress. There is an additional change order proposal climate control we are awaiting for pricing from Worth for cooling the new addition. This work is expected to be performed in April / beginning of May. Once this is completed we should be in the final closeout phase of the project.

Spring Street Sidewalk & Paving: The contract has been awarded to GEG Construction and a pre-construction meeting was held on August 28, 2014. The contractor was issued a Notice to Proceed. The project is 98% complete, substantially complete on schedule and within budget. This project was designed in-house by the City of Danbury Engineering Division and is being administered by the Construction Services Division.

Foster Street Sidewalks, Drainage & Paving: This project was bid and awarded to GEG Construction with a fall start. The project was designed in-house by the City of Danbury Engineering Division and will be administered by the Construction Services Division. As like the Spring Street project, the design and administration of the project will be performed in-house reducing the project costs. The contractor was issued a notice to proceed on 10/31/14. The contractor has mobilized to the site. The drainage has been completed on Bank Street. Foster Street drainage is approximately 75% complete. The contractor has placed temporary asphalt patch on the trenches. The contractor will go into winter shutdown on 12/15/14 returning in the spring with June 30, 2015 completion date.

School Playgrounds: South Street, King Street and Morris Street School playground designs have been completed. The playgrounds were delivered on 11/04/14; the existing playground equipment has been removed. South Street School, Morris Street and King Street playscapes have been installed. The contractor is also repairing existing playground equipment presently. New playground safety surfacing has been installed at all the elementary schools.

Mill Ridge Artificial Field: Working with the Engineering Division on the field design. Friar Associates has been hired to design the field. The geotechnical engineer completed onsite soil borings 12/08/14 a report will be issued shortly. We met with CL&P and are finalizing the electrical power distribution to the field.

Engineering Report submitted by Farid L. Khouri, P.E., City Engineer:

The following assessment projects are the only projects pending on the list based on residents' petitions:

1. Butternut Lane, Bayberry Lane and Boxwood Lane Sanitary Sewer Extension: Working on preliminary design and cost estimate.
2. Hawley Road Extension Sanitary Sewer Extension: Working on preliminary design and cost estimate.

East Franklin Street Bridge/Sanitary Sewer Pump Station: The project has been completed and is functioning for its intended use.

Crosby Street Bridge: Contracts, design and permits for the bridge have been completed. Bridge will be bid out next month and should be completed by fall 2015.

Spring Street: The project consists of neighborhood enhancement work to sidewalk and pavement improvements. Sidewalk work has been completed. Project is approximately 99% complete and will be finished as soon as weather allows.

Foster Street Neighborhood Improvement: In-house design and survey to Foster Street from West Street to West Wooster Street, Boughton Street and Bank Street were completed and the project was awarded after the City reviewed the bids. CDBG approved funding. Construction has started and will continue as weather permits, full construction will resume in the spring 2015 and project should be completed in the summer 2015.

Expansion of Danbury High School: The City hired one of our on-call architects to develop a master plan and facilities study for reorganization and addition to the freshman quadrant at Danbury High School.

Traffic Light – Lake Avenue/Shannon Ridge: City bid the project and selected a local contractor to perform the work. Preconstruction meeting was conducted and work is underway. The project will be completed late spring/summer 2015.

Mill Plain All Purpose Field: The City has selected an architect to design a synthetic all purpose field on the grounds of the new Westside Middle School Academy. Design and permits should be completed by spring 2015. The field should be ready for use at the beginning of the new school year 2015/2016 which is in September, 2015.

Traffic Engineer and his Technicians: are reviewing several road improvement projects with the State of Connecticut D.O.T. and are working on various land-use development plans. They are also handling public complaints and routine repairs and maintenance of traffic control signal devices and pavement markings.

Staff Engineers: are reviewing various site plans, water and sewer applications, special exception applications, and subdivision applications for various land-use approvals of on-going development projects throughout the City. Field inspections of sanitary sewer, water mains and new roads are performed regularly on various developments. The Staff Engineers also review various drainage problems which may include site visits, analysis and design.

Survey Crew verifies various R.O.W., and prepares surveys and easements for in-house design of City Projects, and assists other divisions in locating utilities in the field.

Should you have any questions regarding this report or any other issues related to your Engineering Division, please do not hesitate to contact me at (203) 797-4641.

Highway Division Report submitted by Duke Hart, Superintendent of Public Services:

In the month of December the Highway Division continued to maintain the roads of the City of Danbury. The Highway Division responded to three storm events from freezing rain to snow. Plow and mailbox repairs were performed by the assigned crews after each storm event.

The construction crews repaired twelve (12) catch basins on eight roads and repaired a wash-out on the Eagle Road Bridge. The lower section of Irving Place, which washed out during a very heavy rain storm, was also repaired. The paving crew was then called in to pave the repaired areas. Sections of Lakeview Drive, Cedar Drive and Pembroke School were also paved. Due to the warm weather, the crews were able to backfill the curbs on the newly paved roads and repair guide rails on Park Avenue, Segar Street, Oil Mill Road, Pine Mountain Road, Lake Avenue and Bayberry Lane. Crews were dispatched to five (5) locations to remove several beaver dams to prevent property loss, flooding and damage. A snow fence was installed at the town park in order to prevent drifting.

The sign crew made numerous repairs to run down and damaged signs. The pothole crews made repairs as weather permitted. Bagged leaves and bundled brush was collected as allowed by weather. One crew swept areas with built-up gutter leaves to help eliminate drainage issues. Another crew was assigned to fill residents' sand barrels as requested.

Crews have been inspecting their routes for litter and debris and collecting the items as needed. The recycling truck continues to be a very popular service to the residents. The City's garbage truck is out daily emptying city trash cans and picking up litter and debris.

Should you have any questions regarding this report, please feel free to contact me at 203-797-4605.

Parks Maintenance Report submitted by Duke Hart, Superintendent of Public Services:

The Parks Division crews plowed and sanded the sidewalks and parking lots at the schools following the winter storm events that moved into the area in the month of December. Crews were pleased to work with the Forestry and Highway Divisions with the leaf and brush collections, traffic control and pothole patching. Litter was collected in the downtown area and at other city locations. The downtown areas were cleaned and prepared for the First Night Danbury festivities. Winter maintenance of the mowing equipment continues. Should you have any questions regarding this report, please feel free to contact me at 203-796-1558.

Forestry Division Report submitted by Mark Miller, Foreman:

The Forestry Division was involved in several projects during the month of December. The Division performed tree work at the following locations: Mountainville Road, Bergh Street, City Hall, Farview Avenue, Wicks Manor, Smith Street, Fox Den Road, Briar Ridge Road and Oak Lane. The crew removed brush and trees from under bridges to prevent flooding at those locations.

The crew was pleased to install the holiday lights and wreath at the library plaza and the holiday tree and wreath at City Hall. The crew also did plowing and sanding and cleared crosswalks in response to storm events.

Should you have any question regarding this report, please contact me at 203-797-4609.

Public Buildings Report submitted by Rick Palanzo, Superintendent

City Hall: The Phase I & II city hall boiler project is nearly complete. The demolition work is completed. The defunct boiler has been removed and the remaining steam boiler has been rebuilt and is working very well. The new boiler and water heater have been delivered to City Hall and are being installed. The new water heater is on line, and the new boiler will be on line in January.

Farrington Woods Park – Westside Open Space: Our next project at Farrington Woods will be to take care of the roof, siding and porch of the main house, as well as deteriorating roofs on some of the other residential buildings. This project will begin in the spring of 2015. We will bid these projects in January.

Danbury Public Schools: The transformer project at Danbury High School, which we intended to place on hold and rebid next summer, has been awarded to the low bidder. The low bidder agreed to hold his price until next summer, which will allow us sufficient time to request the funds required to complete this project in our next capital budget. This act will guarantee that this project will be completed before the students come back to school in August 2015. We appreciate the cooperation of the Purchasing, Corporation Counsel and Finance departments in helping to make this possible.

The three school buildings, which required new roofs, Morris Street School, Great Plain School and the Educational Services Center are complete. The roofs are performing well with no leaks.

With the approval of the bond, we have hired Fuller- D'Angelo, a roof designer, to plan the replacement of four school roofs: Hayestown, South Street, King St. Primary and King St. Intermediate Schools. These school roofs are eligible for state reimbursement so Fuller – D'Angelo will assist the City to insure we receive state approval. The re-roofing should begin in June if all goes well.

Library: The license agreement with Rymackees' is signed and they will operate the café at the Library. They should begin operation in February.

The second floor of the Library has a fresh coat of paint to liven up the children's library and the administrative offices and workroom. The Library staff participated in the selection of the paint colors! It is very bright and cheerful. I am told the children love it!

Old Library: The council approved the replacement of the first floor heat pumps, and we have applied for LOCIP funds. This project will remove old inefficient heat pumps and replace them with new high efficiency heat pumps. It will improve the comfort of the workspace and do it at a lower cost! We anticipate LOCIP approval in January.

Public Works Complex: We have hired Kuegler Associates to design one emergency generation system for the entire Public Works Complex. This design work is nearing completion, and bidding will take place in the winter months with actual work to begin in the spring. This project will eliminate smaller stand-alone generators in favor of one large efficient generator that will supply the public works complex (upper level). The contract has been signed and design work has begun.

Hatters Hall: When preparing the building for the heating season, we noticed a major problem with the boiler and it must be replaced ASAP. We have the funding and are preparing to replace this boiler. We are also preparing to replace the cooling system with a more energy efficient method. This work will begin and end before the summer.

General: The majority of Maintenance tasks this month were associated with the cold calls and snow removal.

Requests for Maintenance Service: Attached please find the statistical report of repairs and maintenance work that the Public Buildings Mechanics engaged in during the month of December 2014.

In the month of December we received 183 new work requests and completed 194 work requests. In reviewing this report, you will find the repair time that was expended in major work categories. Also listed is the total number of work order hours completed.

Public Building mechanics were engaged in general Plumbing repairs with a total of 296.25 person-hours dedicated to this service. The next largest area of concentration was in Electrical work, utilizing 121.00 person-hours of labor. General Maintenance repairs came in as the third highest category with 113.50 person-hours.

Should you have any questions regarding this report, please do not hesitate to contact me at 203-797-4584. I am happy to discuss any portion of this report with you.

Public Utilities Report submitted by David Day, Superintendent of Public Utilities:

Enclosed is the monthly report to the Common Council for activities that took place in December 2014. Also attached is the Public Utilities Vehicle Maintenance Report.

As of January 15, 2015 there are 37 hydrants out of service. I will be happy to review the information with you.

Sincerely,

Antonio Iadarola, P.E.

Antonio Iadarola, P.E.
Director of Public Works

CITY OF DANBURY
PUBLIC BUILDINGS DIVISION
WORK REQUEST REPORT FOR DECEMBER 2014

Work Requests received this month	183
Work Requests Completed this month	194

Category	Total Labor Hours
Alarms	0.00
Carpentry	5.50
Electrical	121.00
HVAC	29.00
Locksmith	0.0
Maintenance	113.50
Mechanical	21.00
Plumbing	296.25
Roofing	0.00
Snow Plowing	6.50
Labor Hours City Buildings	174.00
Labor Hours School Buildings	458.75

M E M O R A N D U M

DATE: January 15, 2015
TO: City of Danbury, Common Council
FROM: *David M. Day, P.E.*, Superintendent
RE: Sanitary Sewer Collection System Maintenance— December 2014

Complaints: 4 Bypasses Slow Running 11

Number Received: 15

Number Completed: 15

Pipe Cleaned: 3,500 LFT

Gallons of Water Used: 28,000 Gal

Pipe Inspected: 3,500 LFT

COMMENTS:



To: David Day, P.E., Supt. of Public Utilities, City of Danbury

From: Walter Royals, Project Manager **Walter Royals**

Subject: WPCP Report For Month of: Dec '14

Date: 1/9/2015

I. Wastewater Treatment:

A) Sewage Processed:	9.4 MGD (Daily Avg)	291.1	Million Gallons Total
B) Septic Waste Processed:		606,150	Gallons Total
C) Sludge Pumped To Digesters:		363,716	Pounds Total

II. Wastewater Quality Influent Effluent % Removal Effluent Limit

A) BOD (mg/l)	211	5	97	30 mg/l and 85%
B) Total Suspended Solids (mg/l):	236	4	98.2	30 mg/l and 85%
C) Total Phosphorus (mg/l):	5.5	0.47	91	1.0 mg/l
D) Ammonia (mg/l):	28.4	0.41	99	4.0 mg/l
E) Total Nitrogen (lbs/Day):	3,269	421	87	442 lbs/day

Note: Phosphorus limits apply April - October.

Nitrogen limit for credit trading only.

III. Pump Station Operation:

A) Beaver Brook:	790.8	Hours Run
B) Southfield:	40.6	Hours Run
C) Mill Plain:	26.7	Hours Run
D) Backus:	101.8	Hours Run
E) Tarrywile	55.0	Hours Run
F) Turner Road:	29.0	Hours Run
G) Ford Avenue:	21.6	Hours Run
H) Indian Glen:	114.1	Hours Run
I) Delay Street:	22.1	Hours Run
J) Hayestown Road:	64.4	Hours Run
K) Kenosia Avenue:	3.9	Hours Run
L) Larson Drive:	58.4	Hours Run
M) Landfill:	258.0	Hours Run
N) Thrope Street	14.6	Hours Run
O) Poets Landing	12.7	Hours Run
P) Rogers Park	41.1	Hours Run
P) West Side	56.3	Hours Run
Q) East Franklin Street	44.6	Hours Run

Total Station Alarms:

17

TO : City Council - City of Danbury

FROM : David Day, Superintendent of Public Utilities

DATE : January 15, 2015

RE : WATER DEPARTMENT REPORT: DECEMBER 2014

I. WATER PRODUCTION :

A) Margerie Water Treatment Facility :	<u>81.7</u>	MG.
B) West Lake Water Treatment Facility :	<u>86.1</u>	MG.
C) Kenosia Well Field :	<u>0</u>	MG.
D) Osborne Street Well Field :	<u>0</u>	MG.
E) Other :	<u>0</u>	MG.

(MG. = Million Gallons)

II. RAINFALL :

A) Month :	<u>3.2</u>	inches
B) Past 12 Months (running total) :	<u>41.6</u>	inches
C) Current Year (Jan.- Current Mo.) :	<u>41.6</u>	inches

III. WATER STORAGE :

date: 12/1/14

	<u>Current Reading</u>		<u>Historical Average</u>	
A) East Lake Reservoir :	<u>88.0</u>	%	<u>82.2</u>	%
B) Margerie Lake Reservoir :	<u>71.9</u>	%	<u>81.6</u>	%
C) West Lake Reservoir :	<u>65.1</u>	%	<u>80.0</u>	%
D) Total :	<u>71.0</u>	%	<u>81.0</u>	%

IV. WATER PUMPED :

A) Park Avenue Pump Station :	<u>0</u>	MG.
B) Padanaram(High School) Pump Station :	<u>7.31</u>	MG.

C) Shelter Rock Pump Station :	<u>2.44</u>	<u>MG.</u>
D) WestConn Pump Station :	<u>1.12</u>	<u>MG.</u>
E) Margerie Pump Station :	<u>1.98</u>	<u>MG.</u>
F) Pleasant Acres:	<u>1.70</u>	<u>MG.</u>
G) Nabby Road:	<u>1.66</u>	<u>MG.</u>
H) Harvest Hill:	<u>2.59</u>	<u>MG.</u>
I) West Lake High Service :	<u>38.6</u>	<u>MG.</u>
J) Total Water Pumped (A-I) :	<u>57.4</u>	<u>MG.</u>
	(MG. = Million Gallons)	

V. WATER TRANSFERRED :

A) East Lake to Margerie Reservoir :	<u>87.0</u>	<u>MG.</u>
B) Padanaram to Margerie Reservoir :	<u>18.1</u>	<u>MG.</u>
C) Kohanza to West Lake Reservoir :	<u>17.5</u>	<u>MG.</u>
D) Kenosia Diversion to West Lake Reservoir :	<u>0.0</u>	<u>MG.</u>
E) Kenosia Wells to West Lake Reservoir :	<u>0.0</u>	<u>MG.</u>
F) Total Water Transferred (A-E):	<u>122.6</u>	<u>MG.</u>
	(MG. = Million Gallons)	

VI. ALGAE CONTROL :

A)	<u>NONE</u>
B)	<u></u>
C)	<u></u>

VII. SURVEY OF WATER SOURCES :

A)	<u>Disinfection by-products (trihalomethanes and haloacetic acids) testing of distribution system.</u>
B)	<u></u>

VIII. SUPERINTENDENTS NOTES :

With precipitation and pumping from our secondary reservoirs, levels are up to 85.4% as of Jan. 5, 2015

EQUIPMENT MAINTENANCE

Date	Vehicle	Repair Provided	Department
12/1/2014	#25	No Power	Highway
12/1/2014	#41	Radiator	Highway
12/1/2014	158-DA	No Start	Building Maintenance
12/1/2014	20-DA	Tire Sensor/Reset Cluster	Building Inspector
12/1/2014	#82	Tire Rod/FT Shaft,Yoke	Highway
12/2/2014	#18	Rt Ft Slack Adj.& Can	Highway
12/2/2014	#34	Lights	Highway
12/2/2014	#41	Service	Highway
12/2/2014	#8	Exhaust	Highway
12/2/2014	#2	Brake Adj./Strobes	Highway
12/2/2014	331-DA	4 w.d./Service	Park&Rec
12/3/2014	#2	Rear Brakes	Highway
12/3/2014	28-DA	Plow MTR Leaking/Piston	Park&Rec
12/3/2014	20-DA	LR TPMS Sensor	Building Inspector
12/3/2014	#16	Fuel Tank	Highway
12/3/2014	28-DA	Service	Park&Rec
12/3/2014	#34	LR Tires (2)	Highway
12/3/2014	#32	Reinstall Leaf Box	Highway
12/4/2014	#32	Reinstall Leaf Box Cab Leak	Highway
12/4/2014	#2	Lights	Highway
12/4/2014	#16	Fuel Tank/Luberfiner	Highway
12/4/2014	390-DA	Service	Park&Rec
12/4/2014	20-DA	Road Call West St	Building Inspector
12/4/2014	92-DA	No Start	Park&Rec
12/4/2014	#86	Remove Link	Highway
12/4/2014	#85	Vent Tube Fuel Tank	Highway
12/5/2014	92-DA	Won't Run	Park&Rec
12/5/2014	#86	Remove Link	Highway
12/5/2014	#16	King Pins Rear Brakes	Highway
12/5/2014	20-DA	Belt & Tensioner	Building Inspector
12/5/2014	#14	Hyd.Leak-Clean Batteries	Highway
12/6/2014	#180	Service	Highway
12/6/2014	#16	King Pins	Highway
12/8/2014	#180	Service	Highway
12/8/2014	#16	King Pins	Highway
12/8/2014	#14	Clean Batt/Rear Spring Bolt	Highway
12/8/2014	106-DA	Lights	Highway

12/9/2014 #16	King Pins Rear Brakes	Highway
12/9/2014 #14	Valve Body/Mir.Brkt/Radio	Highway
12/9/2014 162-DA	Service/Rr Pads&Rotors	Highway
12/9/2014 #10	No Throttle/road call Rockwell	Highway
12/10/2014 #16	Rear Brakes	Highway
12/10/2014 #14	Fuel Tank	Highway
12/10/2014 #59	Alternator	Highway
12/10/2014 #17	Adj.Brakes Tailgate	Highway
12/10/2014 #10	No Throttle	Highway
12/10/2014 #34	Sander Light	Highway
12/10/2014 198-DA	Wipers	Park&Rec
12/10/2014 #44	Lights	Highway
12/10/2014 #85	Hyd Hose/LR Wheels Sun	Highway
12/11/2014 #55	Rear Air Cans	Highway
12/11/2014 #16	Spring Shop	Highway
12/11/2014 #31	Harness	Highway
12/11/2014 #27	Hydraulic Leak	Highway
12/12/2014 #14	High Pres.Manifold Gasket	Highway
12/13/2014 #14	Hydraulic Pump Leak	Highway
12/13/2014 DD24	Ign. Switch Loose	Highway
12/13/2014 77-DA	Check Brake/Service	Highway
12/15/2014 #23	Service Eng & Trans	Highway
12/15/2014 #14	Hydraulic Pump Leaking	Highway
12/15/2014 #23 Plow	Reset Cable Holes	Highway
12/15/2014 77-DA	Instrument Cluster	Highway
12/15/2014 #11	No Data Link	Highway
12/15/2014 30-DA	Ser./Oil Leak-Door Pins	Building Inspector
12/15/2014 #10	Wire Conn-Corrosion	Highway
12/16/2014 30-DA	Ser./Oil Leak-Door Pins	Building Inspector
12/16/2014 #86	Reassemble Auger	Highway
12/16/2014 #36	Service	Highway
12/16/2014 #14	Hydraulic Pump Leaks	Highway
12/16/2014 #42	Brake Adjustment	Forestry
12/16/2014 #39	Service	Highway
12/17/2014 #80	Side Brooms	Highway
12/17/2014 #14	Valve Body Mud Flap Brkt	Highway
12/17/2014 30-DA	Oil Lines	Building Inspector
12/17/2014 #11	No Data	Highway
12/17/2014 77-DA	Reinstall Cluster	Highway
12/17/2014 #67	Ser./Belardinelli Rr Tires	Highway
12/17/2014 42-DA	Adj.Frt Brakes	Forestry
12/17/2014 #26	Heater Motor	Highway

12/18/2014 377-DA	Service	Building Maintenance
12/18/2014 30-DA	Jims Door latch	Building Inspector
12/18/2014 #67	Throttle Return Spring	Highway
12/18/2014 #31	Fire	Highway
12/20/2014 #59	Lights	Highway
12/22/2014 #59	Lights	Highway
12/22/2014 #6	Install Sander	Highway
12/22/2014 #27	Air Seat Switch	Highway
12/22/2014 #86	Won't Start	Highway
12/22/2014 377-DA	Light Bar	U.N.I.T.
12/22/2014 112-DA	Door Handle	Highway
12/22/2014 #2	Lights	Highway
12/23/3014 TW 4	Light Switch	Highway
12/23/3014 #31	Fire Recovery	Highway
12/23/3014 #2	Lights	Highway
12/23/3014 #18	Trans Leak	Highway
12/23/3014 #61	Wipers	Highway
12/23/3014 #46	Install Sander	Highway
12/23/3014 #33	Regen	Highway
12/23/3014 #34	Exhaust Oil Leaks	Highway
12/29/2014 #31	Fire Recovery	Highway
12/29/2014 #181	Air Gov/LT FT Tire	Highway
12/29/2014 #5	Exhaust/Air Dryer	Highway
12/29/2014 #11	Jump Start	Highway
12/30/2014 #5	Air Dryer	Highway
12/30/2014 #181	LT FT Tire	Highway
12/30/2014 #33	Remove Radio For Trade In	Highway
12/30/2014 #67	T.P.S.	Highway
12/30/2014 64-DA	Service	Building Maintenance
12/30/2014 #48	Remove Radio For Trade In	Highway
12/30/2014 121-DA	Brake Line	Highway
12/30/2014 #58	Service	Highway
12/30/2014 121-DA	Brake Line	Highway
12/30/2014 #58	Service	Highway
12/30/2014 #44	Lights	Highway
12/30/2014 #31	Fire Recovery	Highway
12/30/2014 #47	Spinner Plate	Highway
12/30/2014 #37	Coolant Leak	Highway

MAINTENANCE REPORT - BUILDING # 6
GENERAL FUND
December-2014

12/1/2014	224DA	SHELTER	STARTER BATTERY
	181DA	POLICE	FLAT R/C
	265DA	POLICE	FLAT R/C
	385DA	POLICE	WIPERS
12/2/2014	224DA	SHELTER	STARTER BATTERY
	240DA	POLICE	BATTERY
	DET	POLICE	EMISSIONS
12/3/2014	DET	POLICE	TIRE LIGHTS
	18DA	POLICE	BATTERY TIRE LIGHT AIR BAG LIGHT
	DET	POLICE	EXHAUST
12/4/2014	9DA	POLICE	AIRBAG LIGHT WASHER
	DET	POLICE	EXHAUST BRAKES SERVICE
12/5/2014	287DA	POLICE	OVERHEATING BLOWER MOTOR
	DET	POLICE	HUB BEARING ENGINE LIGHT
12/8/2014	353DA	POLICE	TUNE UP 2COILS BLOWER RESISTOR TIRE LIGHT
	333DA	POLICE	NO START LIGHTS
	7DA	POLICE	HEADLIGHT SOCKETS
	10DA	POLICE	FLAT R/C
	238DA	POLICE	FLAT R/C
12/9/2014	37981	SENIOR	SERVICE TIRES BRAKES
	353DA	POLICE	CLUSTER
	270DA	POLICE	WIPER MOTOR
12/10/2014	220DA	BLD	FLAT R/C
	37981	SENIOR	TIRES
	270DA	POLICE	SERVICE
	243DA	POLICE	LIGHTS
	240DA	POLICE	WIPERS
12/11/2014	9DA	POLICE	CLUSTER
12/12/2014	13DA	POLICE	WIPER MOTOR
	DET	POLICE	SERVICE BRAKES TIRES
12/15/2014	36DA	POLICE	NO START ANTIFREEZE LEAK
	157DA	POLICE	PLUGS COIL SERVICE THAMOSTAT
12/16/2014	36DA	POLICE	WATERPUMP
	197DA	ENG	SERVICE BRAKES
12/17/2014	274DA	HEALTH	INTAKE HEATER LINES PLUGS
	36DA	POLICE	WATERPUMP SERVICE LIGHTS
12/18/2014	271DA	POLICE	STEERING RACK

	13DA	POLICE	OIL LEAK
12/19/2014	274DA	HEALTH	INTAKE HEATER LINES PLUGS
	36DA	POLICE	WATERPUMP SERVICE LIGHTS
	271DA	POLICE	A/C DRYER
12/22/2014	141DA	PARKS	SERVICE BRAKES
	32DA	POLICE	LIGHTS
	257DA	POLICE	SERVICE BRAKES
12/23/2014	225DA	POLICE	SERVICE
	141DA	PARKS	SERVICE BRAKES
12/24/2014	225DA	POLICE	SERVICE BRAKES
	141DA	PARKS	SERVICE BRAKES
12/29/2014	240DA	POLICE	FUEL SMELL
	6DA	POLICE	FLAT R/C
	2DA	POLICE	FLAT R/C
	257DA	POLICE	REAR AXEL LEAK
12/30/2014	385DA	POLICE	LIGHTS
	6DA	POLICE	TIRE
12/31/2014	334DA	POLICE	FLAT R/C
	394DA	POLICE	BATTERY
	15DA	POLICE	DOOR LIGHT TIRE LIGHT

MAINTENANCE REPORT - BUILDING # 6
WATER FUND
December-14

12/3/2014	324DA	WATER	BLOWER MOTOR
12/10/2014	397DA	WATER	SERVICE BRAKES
12/11/2014	227DA	WATER	NO HEAT
12/12/2014	95DA	WATER	FLAT R/C
12/30/2014	397DA	WATER	REAR BRAKES
	280DA	WATER	FLAT R/C
12/31/2014	397DA	WATER	REAR BRAKES