

CITY OF DANBURY
DEPARTMENT OF PUBLIC WORKS



155 DEER HILL AVENUE
DANBURY, CONNECTICUT 06810
(203) 797-4537 FAX (203) 796-1586

MAYOR
Honorable Mark D. Boughton

PUBLIC WORKS DIRECTOR
Antonio Iadarola, P.E.

March 30, 2015

Honorable Mayor Mark D. Boughton
Honorable Members of the Danbury City Council
155 Deer Hill Avenue
Danbury, CT 06810

RE: Monthly Report for February 2015

Dear Mayor Boughton and Members of the City Council:

I am pleased to present the Public Works Department report for the month of February.

February, 2015 was the coldest month of February on record and with 9 snow storms presented many challenges for the Public Works Department. All of the Public Works Divisions continued to be heavily engaged in winter snow storm operations. Following each storm, the construction crew and Equipment Maintenance Division were very busy repairing plows and other equipment in order to be prepared for subsequent events. I appreciate all of the hard work, long hours and team effort of the Public Works staff.

The 2020 Task Force has held meetings in preparation to move forward with a concept for the addition to the high school. Presentations were made to the Board of Education and school officials. Four options were considered in order to provide the greatest learning opportunities for the students at the high school within the budget for the project. A concept has been selected and a meeting is planned in March for review by the ad hoc committee appointed by the mayor.

Please take a few moments to review the Division reports for a full scope of the many activities and projects in which the Public Works Department are engaged.

Should you have any questions regarding any of the separately submitted division reports please call me at 203-797-4537.

Construction Services Report submitted by Thomas Hughes III, Superintendent:

Osborne Street at Fifth Street Traffic Signal Installation: ConnDot project 34-344, Construction Services has been approved by ConnDot to perform the contract administration and inspection of the project, eliminating the need to hire an outside consultant. The contractor, A.M. Rizzo, has completed the punch list and the project is complete. We are in the process of closing the project out with ConnDot.

School Additions: Shelter Rock, Stadley Rough, Park Avenue and Mill Ridge Intermediate: Construction Services is administrating the school addition projects. All four of the schools have been issued Certificates of Occupancy allowing the schools to be occupied.

Mill Ridge: Rizzo Corporation is completing several change orders for additional work at the City of Danbury's request. The punch list work has been completed; we are reducing the retainage to 2% as per the contract specifications. The project is in the close-out phase.

Stadley Rough School: Rizzo Corporation has completed the punch list work. We are reducing the retainage as per the contract specifications to 2%. The project is in the final close-out phase.

Shelter Rock School: Rizzo Corporation is in the process of completing some additional change order work requested by the City of Danbury. The punch list work has been completed; we are reducing the retainage to 2% as per the contract specifications. Completed installing an air heated curtain device above the cafeteria exterior doors. The project is in the final closeout phase.

Park Avenue School: Worth Construction was issued an extensive punch list and there are several open items needing completion. We met with Worth Construction and reviewed their punch list progress. There is an additional change order proposal climate control. We have received climate control pricing from Worth for cooling the new addition. The change order has been issued to Worth Construction for additional climate controls in the new addition. The architect and engineer are reviewing the submittals and shop drawings presently. This work is expected to be performed this spring. Once this is completed we should be in the final closeout phase of the project.

Spring Street Sidewalk & Paving: The contract has been awarded to GEG Construction and a pre-construction meeting was held on August 28, 2014. The contractor was issued a Notice to Proceed. The project is 98% complete, substantially complete on schedule, and within budget. The contractor was issued a change order to redirect the fiber optic line for the camera installed on Spring Street, redirecting the line to the City Hall IT department. The camera has been installed and the change order work completed. This project was designed in-house by the City of Danbury Engineering Division and is being administrated by the Construction Services Division.

Foster Street Sidewalks, Drainage & Paving: This project was bid and awarded to GEG Construction with a fall start. The project was designed in-house by the City of Danbury Engineering Division and will be administrated by the Construction Services Division. As like

the Spring Street project, the design and administration of the project will be performed in-house reducing the project costs. The contractor was issued a notice to proceed on 10/31/14. The contractor has mobilized to the site. The drainage has been completed on Bank Street. Foster Street drainage is approximately 75% complete. The contractor has placed temporary asphalt patch on the trenches. The contractor will go into winter shutdown on 12/15/14 returning on 04/06/15 with a June 30, 2015 completion date. We have scheduled a meeting with the contractor scheduled for 4/02/15 to review the construction schedule and traffic control methods prior to the 4/06/15 startup.

Mill Ridge Artificial Field: Working with the Engineering Division on the field design. Friar Associates has been hired to design the field. The geotechnical engineer completed onsite soil borings 12/08/14 and a report will be issued shortly. We met with CL&P and are finalizing the electrical power distribution to the field. The project was bid and will be awarded to H.I. Stone, a pre-construction & utility meeting has been scheduled for 4/02/15.

357 Main Street: Construction Services has hired Fuss & O'Neil from our on-call bid to perform the Pre-Demo Environmental Survey of the structure which has been completed. Fuss & O'Neil is in the process of preparing the demolition specifications / plan and bid documents for the demolition phase of the project. We expect to bid the demolition and abatement by mid April.

Downtown Trash Receptacles Main Street: Construction Services has submitted a purchase requisition to purchase forty new decorative trash receptacles to be installed on Main Street. The purchase order has been issued to the manufacturer. We will schedule the delivery for April. Reliable has been issued a purchase order for installation. Weather permitting, we expect the installation to be completed mid-spring.

Crosby Street Bridge: The bridge rehabilitation project was bid and will be awarded to Dayton Construction Company. We have been working with the Engineering Division to finalize the project logistics and will be performing the Contract Administration / Management of the project.

Engineering Report submitted by Farid L. Khouri, P.E., City Engineer:

The following assessment projects are the only projects pending on the list based on residents' petitions. Our office will evaluate these projects and will notify benefitted property owners.

1. Butternut Lane, Bayberry Lane and Boxwood Lane Sanitary Sewer Extension: Working on preliminary design and cost estimate.
2. Hawley Road Extension Sanitary Sewer Extension: Working on preliminary design and cost estimate.

Crosby Street Bridge: Contracts specifications, design and permits for the bridge have been completed. Our office is obtaining wage rates for bidding. The Bridge will be bid out next month and should be completed by fall 2015.

Spring Street: The project consists of neighborhood enhancement work to sidewalk and pavement improvements. Sidewalk work has been completed. Project is approximately 99% complete and will be finished as soon as weather allows.

Foster Street Neighborhood Improvement: In-house design and survey to Foster Street from West Street to West Wooster Street, Boughton Street and Bank Street were completed and the project was awarded after the City reviewed the bids. CDBG approved funding. Construction has started and will continue as weather permits, full construction will resume in the spring 2015 and project should be completed in the summer 2015.

Expansion of Danbury High School: The City hired one of our on-call architects to develop a master plan and facilities study for reorganization and addition to the freshman quadrant at Danbury High School and develop improvements on various components to the building.

Traffic Light – Lake Avenue/Shannon Ridge: City bid the project and selected a local contractor to perform the work. Preconstruction meeting was conducted and work is 40% underway. The project will be completed in summer 2015.

Mill Plain All-Purpose Field: The City has selected an architect to design a synthetic all purpose field on the grounds of the new Westside Middle School Academy. The project will be bid out next month. The field should be ready for use at the beginning of the new school year 2015/2016 which is in September, 2015.

Traffic Engineer and his Technicians: are reviewing several road improvement projects with the State of Connecticut D.O.T. and are working on various land-use development plans. They are also handling public complaints and routine repairs and maintenance of traffic control signal devices and pavement markings.

Staff Engineers: are reviewing various site plans, water and sewer applications, special exception applications, and subdivision applications for various land-use approvals of on-going development projects throughout the City. Field inspections of sanitary sewer, water mains and new roads are performed regularly on various developments. The Staff Engineers also review various drainage problems which may include site visits, analysis and design.

Survey Crew verifies various R.O.W., and prepares surveys and easements for in-house design of City Projects, and assists other divisions in locating utilities in the field.

Should you have any questions regarding this report or any other issues related to your Engineering Division, please do not hesitate to contact me at (203) 797-4641.

Highway Division Report submitted by Duke Hart, Superintendent of Public Services:

In the month of February the Highway Division responded to nine (9) weather related events, two of which were major. The construction crew was very busy with plow repairs after each storm. Crews spent two week removing snow from schools, intersections, dead ends and City

lots to make site lines safe and to create room for more snow. Crews were also dispatched to cut ice where needed on City streets.

Four or five crews have been assigned the task to patch pot holes, weather permitting. A two man crew was dispatched to repair mailboxes as needed. A crew was sent out to cut ice at several locations during the month. Sand barrels were filled and litter collected, as conditions permitted.

The sign crew made numerous repairs, as did the mailbox repair crew. Weather permitting, the recycling truck has been at assigned locations. The garbage truck goes out daily, when it is not snowing, to empty the City's trash cans and collect other debris as needed. Drivers have been clearing catch basins along their routes as weather permits.

Should you have any questions regarding this report, please feel free to contact me at 203-797-4605.

Parks Maintenance Report submitted by Duke Hart, Superintendent of Public Services:

The Parks Division responded to nine weather related events. With team effort from the Forestry Division, the crews plowed all of the schools that they regularly maintain and cleared the City parking lots of snow and ice. They also removed snow from the City maintained sidewalks, bridges and downtown crosswalks. Snow was removed at City buildings and schools as needed. Winter maintenance on the mowing equipment continues to prepare for the spring season.

Should you have any questions regarding this report, please feel free to contact me at 203-796-1558.

Forestry Division Report submitted by Mark Miller, Foreman:

The Forestry Division was heavily involved in winter weather related activities during the month of February. The crew also did plowing and sanding and cleared crosswalks in response to storm events. The crew is looking forward to the warmer weather and performing tree work.

Should you have any question regarding this report, please contact me at 203-797-4609.

Public Buildings Report submitted by Rick Palanzo, Superintendent

City Hall: The city hall boiler project is now complete. The new boiler and water heater are installed and functioning better than anticipated.

The corridors at City Hall were looking rather shabby, so they will be painted in March along with the Mayor's office. This will be the first time the corridors and Mayor's office were completely painted since the new addition was opened. I have requested funds in next year's budget to paint offices and replace the first floor carpet. Our goal is to keep City Hall looking good.

Farrington Woods Park – Westside Open Space: Our next project at Farrington Woods will be to take care of the roof, siding and porch of the main house, as well as deteriorating roofs on some of the other residential buildings. This project will begin in the spring of 2015. The re

roofing projects are out to bid. We will award the roofs in March and anticipate work when the weather warms suitably for this kind of work.

Danbury Public Schools: The transformer project at Danbury High School, which we intended to place on hold and rebid next summer, has been awarded to the low bidder. The low bidder agreed to hold his price until next summer, which will allow us sufficient time to request the funds required to complete this project in our next capital budget. This act will guarantee that this project will be completed before the children come back to school in August 2015. We appreciate the cooperation of the Purchasing, Corporation Counsel and Finance departments in helping to make this possible.

Fuller- D'Angelo and Watsky Associates have been designing the replacement of four school roofs: Hayestown, South Street, King St. Primary and King St. Intermediate Schools. These school roofs are eligible for state reimbursement so Fuller – D'Angelo will assist the City to insure we receive state approval. The process to make sure we receive our fair share of the reimbursement for these roofs is well underway. We have a plan review meeting scheduled for April 15, 2015. The re-roofing should begin in June or July if all goes according to plan.

Old Library: LoCIP approved the replacement of the first floor heat pumps. This project will remove old inefficient heat pumps and replace them with new high efficiency heat pumps. It will improve the comfort of the workspace and do it at a lower cost! We purchased the heat pumps from the manufacturer and are awaiting their delivery (march or April) .We have an approved purchase order in place for a local contractor to remove the old ones and install the new ones.

Public Works Complex: Kuegler Associates is nearing the completion of the design for a new emergency generation system for the entire Public Works Complex. Bidding will take place in April with actual work to begin in the late spring. This project will eliminate smaller stand-alone generators in favor of one large efficient generator that will supply the public works complex (upper level). This could not happen at a better time as the old smaller generators are failing.

Hatters Hall: When preparing the building for the heating season, we noticed a major problem with the boiler and it must be replaced ASAP. We have the funding and are preparing to replace this boiler. We are also preparing to replace the cooling system with a more energy efficient method. This work was bid and awarded in February. The boiler will be replaced as soon as heat is no longer needed and the cooling system will be installed when it arrives. It should have a tremendous effect on the energy saved and will make Hatters Hall comfortable throughout the summer!

General: The majority of time the Maintenance Mechanics spent this month was associated with snow removal. When the Maintenance Mechanics are plowing snow, they cannot perform repairs, so not many repairs were completed as February was very snowy!

Requests for Maintenance Service: Attached please find the statistical report of repairs and maintenance work that the Public Buildings Mechanics engaged in during the month of January 2015.

In the month of January we received 183 new work requests and completed 133 work requests. In reviewing this report, you will find the repair time that was expended in major work categories. Also listed is the total number of work order hours completed.

Public Building mechanics were engaged in Snow Plowing of School lots with a total of 380.50 person-hours dedicated to this service. The next largest area of concentration was in Plumbing work, utilizing 131.50 person-hours of labor. General Electrical repairs came in as the third highest category with 53.50 person-hours.

Should you have any questions regarding this report, please do not hesitate to contact me at 203-797-4584. I am happy to discuss any portion of this report with you.

Public Utilities Report submitted by David Day, Superintendent of Public Utilities:

Enclosed is the monthly report to the Common Council for activities that took place in February 2015. Also attached is the Public Utilities Vehicle Maintenance Report.

As of March 19, 2015 there are 32 hydrants out of service. I will be happy to review the information with you.

Sincerely,

Antonio Iadarola, P.E.

Antonio Iadarola, P.E.
Director of Public Works

CITY OF DANBURY
PUBLIC BUILDINGS DIVISION
WORK REQUEST REPORT FOR FEBRUARY 2015

| | |
|------------------------------------|-----|
| Work Requests received this month | 183 |
| Work Requests Completed this month | 133 |

| Category | Total Labor Hours |
|------------------------------|-------------------|
| Alarms | 0.00 |
| Carpentry | 8.50 |
| Electrical | 53.50 |
| HVAC | 16.50 |
| Locksmith | 0.0 |
| Maintenance | 20.50 |
| Mechanical | 9.00 |
| Plumbing | 131.50 |
| Roofing | 0.00 |
| Snow Plowing | 380.50 |
| Labor Hours City Buildings | 66.00 |
| Labor Hours School Buildings | 572.50 |

M E M O R A N D U M

DATE: March 19, 2015
TO: City of Danbury, Common Council
FROM: *David M. Day, P.E.*, Superintendent
RE: Sanitary Sewer Collection System Maintenance– February 2015

Complaints: 2 Bypasses 14 Slow Running

Number Received: 16

Number Completed: 16

Pipe Cleaned: 4,200 LFT

Gallons of Water Used: 17,000 Gal

Pipe Inspected: 4,200 LFT

COMMENTS:



To: David Day, P.E., Supt. of Public Utilities, City of Danbury

From: Walter Royals, Project Manager **Walter Royals**

Subject: WPCP Report For Month of: Feb '15

Date: 3/10/2015

| I. Wastewater Treatment: | | | | | | |
|--|--------------------------------|----------|-----------------|----------|-----------------------|---|
| A) | Sewage Processed: | 7.5 | MGD (Daily Avg) | 209.4 | Million Gallons Total | |
| B) | Septic Waste Processed: | | | 119,900 | Gallons Total | |
| C) | Sludge Pumped To Digesters: | | | 303,055 | Pounds Total | |
| II. Wastewater Quality | | | | | | |
| | | Influent | | Effluent | % Removal | Effluent Limit |
| A) | BOD (mg/l) | 258 | | 10 | 96 | 30 mg/l and 85% |
| B) | Total Suspended Solids (mg/l): | 298 | | 7 | 97.8 | 30 mg/l and 85% |
| C) | Total Phosphorus (mg/l): | 6.3 | | 0.59 | 91 | 1.0 mg/l |
| D) | Ammonia (mg/l): | 30.6 | | 1.31 | 96 | 4.0 mg/l |
| E) | Total Nitrogen (lbs/Day): | 2,979 | | 409 | 86 | 442 lbs/day |
| Note: Phosphorus limits apply April - October. | | | | | | Nitrogen limit for credit trading only. |
| III. Pump Station Operation: | | | | | | |
| A) | Beaver Brook: | 666.3 | Hours Run | | | |
| B) | Southfield: | 31.0 | Hours Run | | | |
| C) | Mill Plain: | 20.8 | Hours Run | | | |
| D) | Backus: | 98.0 | Hours Run | | | |
| E) | Tarrywile | 56.9 | Hours Run | | | |
| F) | Turner Road: | 23.0 | Hours Run | | | |
| G) | Ford Avenue: | 18.4 | Hours Run | | | |
| H) | Indian Glen: | 70.4 | Hours Run | | | |
| I) | Delay Street: | 20.9 | Hours Run | | | |
| J) | Hayestown Road: | 51.3 | Hours Run | | | |
| K) | Kenosia Avenue: | 2.3 | Hours Run | | | |
| L) | Larson Drive: | 44.8 | Hours Run | | | |
| M) | Landfill: | 232.4 | Hours Run | | | |
| N) | Thrope Street | 10.5 | Hours Run | | | |
| O) | Poets Landing | 9.7 | Hours Run | | | |
| P) | Rogers Park | 37.0 | Hours Run | | | |
| P) | West Side | 44.3 | Hours Run | | | |
| Q) | East Franklin Street | 27.5 | Hours Run | | | |

Total Station Alarms:

11

TO : City Council - City of Danbury
 FROM : David Day, Superintendent of Public Utilities
 DATE : March 20, 2015

RE : WATER DEPARTMENT REPORT: FEBRUARY 2015

I. WATER PRODUCTION:

| | | |
|--|-------------|-----|
| A) Margerie Water Treatment Facility: | <u>76.4</u> | MG. |
| B) West Lake Water Treatment Facility: | <u>80.3</u> | MG. |
| C) Kenosia Well Field: | <u>0</u> | MG. |
| D) Osborne Street Well Field: | <u>0</u> | MG. |
| E) Other: | <u>0</u> | MG. |

(MG. = Million Gallons)

II. RAINFALL:

| | | |
|--------------------------------------|-------------|--------|
| A) Month | <u>1.1</u> | inches |
| B) Past 12 Months (running total): | <u>39.1</u> | inches |
| C) Current Year (Jan.- Current Mo.): | <u>4.0</u> | inches |

III. WATER STORAGE: date: 2/5/2015

| | <u>Current Reading</u> | % | <u>Historical Average</u> | % |
|-----------------------------|------------------------|---|---------------------------|---|
| A) East Lake Reservoir: | <u>82.7</u> | % | <u>87.1</u> | % |
| B) Margerie Lake Reservoir: | <u>100.0</u> | % | <u>90.2</u> | % |
| C) West Lake Reservoir: | <u>86.1</u> | % | <u>88.7</u> | % |
| D) Total: | <u>91.4</u> | % | <u>89.1</u> | % |

IV. WATER PUMPED:

| | | |
|--|-------------|-----|
| A) Park Avenue Pump Station: | <u>0</u> | MG. |
| B) Padanaram (High School) Pump Station: | <u>6.82</u> | MG. |

| | | | |
|-------------------------------|---------------------------|------------|----------|
| C) Shelter Rock Pump Station: | <u>2.22</u> | <u>MG.</u> | |
| D) WestConn Pump Station: | <u>2.01</u> | <u>MG.</u> | |
| E) Margerie Pump Station: | <u>2.00</u> | <u>MG.</u> | estimate |
| F) Pleasant Acres: | <u>1.30</u> | <u>MG.</u> | |
| G) Nabby Road: | <u>1.35</u> | <u>MG.</u> | |
| H) Harvest Hill: | <u>2.42</u> | <u>MG.</u> | |
| I) West Lake High Service: | <u>35.8</u> | <u>MG.</u> | |
| J) Total Water Pumped (A-I): | <u>53.9</u> | <u>MG.</u> | |
| | (MG. = Million Gallons) | | |

V. WATER TRANSFERRED:

| | | | |
|--|---------------------------|------------|--|
| A) East Lake to Margerie Reservoir: | <u>15</u> | <u>MG.</u> | |
| B) Padanaram to Margerie Reservoir: | <u>0</u> | <u>MG.</u> | |
| C) Kohanza to West Lake Reservoir: | <u>0</u> | <u>MG.</u> | |
| D) Kenosia Diversion to West Lake Reservoir: | <u>0</u> | <u>MG.</u> | |
| E) Kenosia Wells to West Lake Reservoir: | <u>0</u> | <u>MG.</u> | |
| F) Total Water Transferred (A-E): | <u>15</u> | <u>MG.</u> | |
| | (MG. = Million Gallons) | | |

VI. ALGAE CONTROL:

| | |
|----|-------------|
| A) | <u>None</u> |
| B) | <u></u> |
| C) | <u></u> |

VII. SURVEY OF WATER SOURCES:

| | |
|----|---|
| A) | <u>Volatile Organic Compound testing of West Lake and Margerie treated water.</u> |
| B) | <u></u> |

VIII. SUPERINTENDENTS NOTES:

EQUIPMENT MAINTENANCE

| Date | Vehicle | Repair Provided | Department |
|-------------|----------------|------------------------------|-------------------|
| 2/1/2015 | 24 | Plow light | Highway |
| 2/1/2015 | 17 | Jumpstart | Highway |
| 2/1/2015 | 30 | Hydraulic Manifold | Highway |
| 2/1/2015 | 25 | Plow light | Highway |
| 2/1/2015 | 10 | Auger Stuck | Highway |
| 2/1/2015 | 7 | No Power Rd Call | Highway |
| 2/1/2015 | 6 | No Neutral | Highway |
| 2/1/2015 | 10 | Plow Block Fittings | Highway |
| 2/1/2015 | 355-DA | Won't Start | P&R |
| 2/1/2015 | 2 | Windshield Wipers | Highway |
| 2/1/2015 | 16 | Plow Hose | Highway |
| 2/1/2015 | 23 | R/F Wheel Rub. Plug | Highway |
| 2/1/2015 | 12 | Coolant Hose | Highway |
| 2/1/2015 | 28-DA | R/S Cam | P&R |
| 2/1/2015 | 43 | R/S Wiper Arm Rep. | Highway |
| 2/1/2015 | 87 | Plow Guide | Highway |
| 2/1/2015 | 147-DA | Wiper Arm | Build Maint |
| 2/2/2015 | 34 | Lift Cyl. Hose | Highway |
| 2/2/2015 | 8 | Sander Knob | Highway |
| 2/2/2015 | 47-DA | Blend Door | P&R |
| 2/2/2015 | 355-DA | Alt./Bat(Road Call) | P&R |
| 2/2/2015 | 26 | Plow Hose | Highway |
| 2/2/2015 | 9 | L/R/O Flat | |
| 2/2/2015 | 44 | Fell into Catch Basin (R/C) | Highway |
| 2/2/2015 | 26 | Air Pressure/Air Dryer | Highway |
| 2/2/2015 | 4 | Bent Chute | Highway |
| 2/2/2015 | 24 | Plow Piston Hose | Highway |
| 2/2/2015 | 86 | Plow Pin | Highway |
| 2/2/2015 | 87 | Remove Plow | Highway |
| 2/2/2015 | 32 | Plow Cable | Highway |
| 2/2/2015 | 8 | Windshield Washer Sprayer | Highway |
| 2/4/2015 | Brine | Thaw/Service | Highway |
| 2/4/2015 | 11 | Hyd/Hose Lights | Highway |
| 2/4/2015 | 33 | Body Door Handle | Highway |
| 2/4/2015 | 16 | Plow Lights | Highway |
| 2/4/2015 | 54 | Plow Lights | Highway |
| 2/4/2015 | 14 | Oil Fill Tube/Ser./Sander Lt | Highway |
| 2/4/2015 | 27 | Adj. Brakes/Wipers | Highway |
| 2/4/2015 | 4 | Wiper Blades | Highway |
| 2/4/2015 | 28-DA | Timing Tensioners | P&R |
| 2/4/2015 | 86 | Fill PTO/Plow line Leak | Highway |

| | | | |
|----------|--------|---------------------------|------------|
| 2/4/2015 | 15 | No Heat | Highway |
| 2/5/2015 | 260-DA | Plow Lights | Build Main |
| 2/5/2015 | 14 | Ser. Eng/Trans | Highway |
| 2/5/2015 | 28-DA | Timing Chain Tensioners | P&R |
| 2/5/2015 | 47-DA | Blend Door Actuator | Highway |
| 2/5/2015 | 87 | Wipers | Highway |
| 2/5/2015 | 12 | Plow Quick Disconnect | Highway |
| 2/5/2015 | 1 | Plow Hose | Highway |
| 2/5/2015 | 32 | P/S Leak (R/C) | Highway |
| 2/5/2015 | 44 | Scan for Engine Codes | Highway |
| 2/6/2015 | 44 | Engine Light | Highway |
| 2/6/2015 | 47-DA | HVAC | P&R |
| 2/6/2015 | 8 | Hydraulic Filter | Highway |
| 2/6/2015 | 50 | Front Tire | Highway |
| 2/6/2015 | 16 | No Floor Heat | Highway |
| 2/6/2015 | 214-DA | R/S Mirror Glass | Build Main |
| 2/6/2015 | 29 | Sander Dr. Adj. Piston | Highway |
| 2/6/2015 | 31 | | Highway |
| 2/7/2015 | 48 | Add Oil | Highway |
| 2/7/2015 | 47 | Strobes | Highway |
| 2/7/2015 | 11 | Hyd. Lk. S/D Hose Fitting | Highway |
| 2/7/2015 | 26 | Antenna | Highway |
| 2/7/2015 | 18 | Low Voltage | Highway |
| 2/8/2015 | 87 | Cut Off Sander Gate | Highway |
| 2/8/2015 | 20 | L/R/inside Tire Flat | Highway |
| 2/8/2015 | 77-DA | R/S Headlight | Highway |
| 2/8/2015 | 24 | L/F Spring Broken | Highway |
| 2/8/2015 | 37 | Plow Hyd. Hose | Highway |
| 2/8/2015 | 21 | Trans Line | Highway |
| 2/8/2015 | 67 | Stuck in 4wd | Highway |
| 2/8/2015 | 27-DA | Wipers | P&R |
| 2/8/2015 | 87 | Wiper Arm | Highway |
| 2/8/2015 | 48 | Brake Adjustment | Highway |
| 2/8/2015 | 28 | L/F Flat | Highway |
| 2/8/2015 | 43 | Heater Motor | Highway |
| 2/8/2015 | 47 | Strobes | Highway |
| 2/8/2015 | 15 | Won't Start/Alternator | Highway |
| 2/8/2015 | 57 | Install Borrowed Tire R/C | Highway |
| 2/8/2015 | 1 | Wipers | Highway |
| 2/9/2015 | 10 | Wipers | Highway |
| 2/9/2015 | 44 | Low Fuel Pressure | Highway |
| 2/9/2015 | 50 | Lights | Highway |
| 2/9/2015 | 32 | Hydraulic Oil | Highway |
| 2/9/2015 | 9 | Plow Hose | Highway |

| | | | |
|-----------|--------|------------------------------|-------------|
| 2/10/2015 | 27 | Hydraulic Line | Highway |
| 2/10/2015 | 32 | P/S Fluid | Highway |
| 2/10/2015 | 8 | Spinner Chute Bolts | Highway |
| 2/10/2015 | 48-DA | Service | Highway |
| 2/10/2015 | 31 | Starter | Highway |
| 2/10/2015 | 44 | Sucking Air in Fuel Sys. | Highway |
| 2/10/2015 | 15 | Alternator | Highway |
| 2/11/2015 | 19 | Hydraulic Leak | Highway |
| 2/11/2015 | 37 | Wipers | Highway |
| 2/11/2015 | 31 | Fire Recovery/Install Sander | Highway |
| 2/11/2015 | 33 | Service | Highway |
| 2/11/2015 | 390-DA | Send to Dealer (Ex. Lite) | Tree |
| 2/11/2015 | 29 | Exhaust | Highway |
| 2/11/2015 | 144-DA | No Start | Engineering |
| 2/11/2015 | 25 | Trans Leak/Lights | Highway |
| 2/11/2015 | 48 | Service | Highway |
| 2/11/2015 | 87 | Water in Hydraulic oil | Highway |
| 2/11/2015 | 252-DA | Service/ squeaky Belt | Build Main |
| 2/11/2015 | 23 | Axle Gasket | Highway |
| 2/11/2015 | 27 | Hydraulic Oil | Highway |
| 2/11/2015 | 19 | No Heat | Highway |
| 2/11/2015 | 48 | Hydraulic Line | Highway |
| 2/11/2015 | 8 | Adj. Brakes/Brake Light | Highway |
| 2/11/2015 | 17 | Ck Eng. Light On | Highway |
| 2/14/2015 | 11 | Wipers | Highway |
| 2/14/2015 | 28 | R/R/Inside Flat | Highway |
| 2/14/2015 | 4 | Slack Adjuster | Highway |
| 2/14/2015 | 2 | Lights | Highway |
| 2/14/2015 | 50 | Strobes | Highway |
| 2/14/2015 | 87 | Exhaust | Highway |
| 2/14/2015 | 18 | R/S Wiper Arm Loose | Highway |
| 2/14/2015 | 7 | Spinner Chute Bent | Highway |
| 2/14/2015 | 44 | Fuel Transfer Pump | Highway |
| 2/17/2015 | 23 | Rep. Rubber Plug Ft. Hub | Highway |
| 2/17/2015 | 44 | Transfer Pump/Blower Motor | Highway |
| 2/17/2015 | 30 | Plow Relief Valve Weld | Highway |
| 2/17/2015 | 20 | Ck. L/F/ Tire Pressure | Highway |
| 2/17/2015 | 55 | Rear Springs Broken | Highway |
| 2/17/2015 | 28 | R/F Leaf Spring Broken | Highway |
| 2/17/2015 | 15 | Wiper | Highway |
| 2/17/2015 | 54 | Water in Fuel Line | Highway |
| 2/17/2015 | 105-DA | No Start /Battery | Highway |
| 2/17/2015 | 85 | Hydraulic Hose | Highway |
| 2/17/2015 | 4 | L/R Slack Adjuster | Highway |
| 2/17/2015 | 9 | R/S Steering Box | Highway |
| 2/17/2015 | 355-DA | Plow Motor Solenoid | P&R |

| | | | |
|-----------|--------|-----------------------------|------------|
| 2/18/2015 | 9 | R/S Steering Box/Bat Box | Highway |
| 2/18/2015 | 77 | Rear Tires | Highway |
| 2/18/2015 | 26 | Auger Chain Link | Highway |
| 2/18/2015 | 1 | Won't Run/Adj. Brakes | Highway |
| 2/18/2015 | 57 | 6 Tires | Highway |
| 2/18/2015 | 30 | Carrier Bearing | Highway |
| 2/18/2015 | 214-DA | Acc Dam. Drivers Door | Build Main |
| 2/18/2015 | 21 | Trans. Line Fitting | Highway |
| 2/18/2015 | 54 | Engine Locked | Highway |
| 2/18/2015 | 147-DA | Battery | P&R |
| | | | |
| 2/19/2015 | 9 | R/S Steering Box | Highway |
| 2/19/2015 | 3 | Radiator | Highway |
| 2/19/2015 | 21 | Road Test | Highway |
| 2/19/2015 | 8 | Sand Dr. Bent/R.F.Tire/ Lts | Highway |
| 2/19/2015 | 25 | Valve Body Controls | Highway |
| 2/19/2015 | 86 | Adj. Brakes/Service | Highway |
| 2/19/2015 | 198-DA | No Brake Pedal | Build Main |
| 2/19/2015 | 11 | Won't Start | Highway |
| | | | |
| 2/20/2015 | 198-DA | L/R Caliper Pads | P&R |
| 2/20/2015 | 11 | PTO Solenoid | Highway |
| 2/20/2015 | 27 | Mud Flap Bracket Bent | Highway |
| 2/20/2015 | 86 | Service | Highway |
| 2/20/2015 | 82 | Ft Bkt Pin/Retainer Clips | Highway |
| 2/20/2015 | 3 | Service | Highway |
| 2/20/2015 | 37 | Diff Lock Not Working | Highway |
| 2/20/2015 | 87 | Brake Adj | Highway |
| 2/20/2015 | 54 | EGR Cooler | Highway |
| 2/20/2015 | 14 | Brake Adj | Highway |
| 2/20/2015 | 62-DA | Lights | Tree |
| | | | |
| 2/21/2015 | 41 | Lights | Highway |
| 2/21/2015 | 17 | Check Codes | Highway |
| 2/21/2015 | 10 | Connect Plow Hoses | Highway |
| 2/21/2015 | 7 | Check Fluids | Highway |
| 2/21/2015 | 44 | Hyd Oil | Highway |
| 2/21/2015 | 26 | Brake Lights | Highway |
| 2/21/2015 | 28 | Plow Cable | Highway |
| 2/21/2015 | 8 | Dash Inoperable | Highway |
| 2/21/2015 | 16 | Top Off Coolant | Highway |
| 2/21/2015 | 44 | Engine Light (R/C) | Highway |
| 2/21/2015 | 2 | Plow Pin | Highway |
| 2/21/2015 | 5 | Radiator (R/C) | Highway |
| 2/21/2015 | 7 | Sander Chute Loose | Highway |
| 2/21/2015 | 31 | Rock Between Rear Tires | Highway |
| 2/21/2015 | 4 | Sander Chain Broke | Highway |
| 2/21/2015 | 50 | Rt Rr Outside Rim Bent | Highway |
| | | | |
| 2/23/2015 | 4 | Water Pump | Highway |

| | | | |
|-----------|--------|------------------------------|---------|
| 2/23/2015 | 54 | EGR Cooler | Highway |
| 2/23/2015 | 37 | L/F Brake Hung Up | Highway |
| 2/23/2015 | 37 | Rt Rr Inside rim cracked | Highway |
| 2/23/2015 | 16 | Brk Adj. Lights | Highway |
| 2/23/2015 | 355-DA | P/S Pump | P&R |
| 2/23/2015 | 44 | Water Pump Service | Highway |
| 2/23/2015 | 1 | Electr/Valve Cvr Gasket | Highway |
| 2/24/2015 | 355-DA | P/S Pump | P&R |
| 2/24/2015 | 44 | Service | Highway |
| 2/24/2015 | 1 | Elec/Valve Cvr Gasket | Highway |
| 2/24/2015 | 37 | Ser.-R/R rim cracked | Highway |
| 2/24/2015 | 390-DA | Batteries/Service | Tree |
| 2/24/2015 | 92-DA | Noise In Ft End | P&R |
| 2/25/2015 | 1 | Hyd Tank Fittings | Highway |
| 2/25/2015 | 92-DA | 4wd Actuator-R/S Door Han | P&R |
| 2/25/2015 | 47-DA | Blend Dr Housing | P&R |
| 2/25/2015 | 355-DA | P/S Pump | P&R |
| 2/25/2015 | 50 | Right Rear Tires | Highway |
| 2/25/2015 | 24 | 2 New Ft Tires | Highway |
| 2/25/2015 | 28 | Won't Bld Air Pres/Air Dryer | Highway |
| 2/25/2015 | 91 | Rear Flat Tire | Highway |
| 2/25/2015 | 17 | SCR Fluid Lines | Highway |
| 2/26/2015 | 47-DA | Blend Door Housing | P&R |
| 2/26/2015 | 17 | SCR Fluid Lines | Highway |
| 2/26/2015 | 77-DA | Service Check Brakes | Highway |
| 2/27/2015 | 77-DA | Rr Brakes Backing Plates | Highway |
| 2/27/2015 | 17 | Service | Highway |
| 2/27/2015 | 28 | Air Dryer | Highway |
| 2/27/2015 | 355-DA | Oil Leak | P&R |
| 2/27/2015 | 87 | Exhaust/Brake Adj | Highway |
| 2/27/2015 | 2 | Engine Light | Highway |
| 2/27/2015 | 21 | Air Leak | Highway |
| 2/27/2015 | 11 | Spinner Light | Highway |
| 2/28/2015 | 5 | Ser/Diff Lock air Valve | Highway |

MAINTENANCE REPORT - BUILDING # 6

GENERAL FUND

February-2015

| | | | |
|-----------|-------|--------|-------------------------------|
| 2/2/2015 | 4DA | POLICE | LIGHTS |
| 2/3/2015 | DET | POLICE | BRAKES SERVICE |
| 2/4/2015 | DET | POLICE | TIRES SERVICE |
| 2/5/2015 | 223DA | POLICE | WATERPUMP |
| | 11DA | POLICE | OVERHEATING |
| 2/6/2015 | 12DA | POLICE | FLAT R/C |
| | 255DA | POLICE | FLAT R/C |
| | DET | POLICE | BATTERY SERVICE |
| 2/10/2015 | 332DA | POLICE | OIL LEAK |
| | 14DA | POLICE | WATERPUMP TENSION PULLY |
| 2/11/2015 | 14DA | POLICE | DOOR MOLDING LIGHTS |
| | 6DA | POLICE | NO START |
| 2/13/2015 | DET | POLICE | BATTERY R/C |
| | 141DA | PARKS | STARTER |
| 2/17/2015 | 333DA | POLICE | ENGINE LIGHT |
| | DET | POLICE | LIGHTS |
| 2/18/2015 | 202DA | HEALTH | WIPERS |
| | 274DA | HEALTH | RUNS POOR |
| 2/19/2015 | 17DA | POLICE | LIGHTS ALTERNATOR |
| | 19DA | POLICE | ELECTICAL |
| 2/24/2015 | 223DA | POLICE | LIGHTS |
| 2/25/2015 | DET | POLICE | WIPERS ABS LIGHT |
| | DET | POLICE | BATTERY |
| | DET | POLICE | TIRES SERVICE |
| 2/26/2015 | 168DA | PARKS | SERVICE POWER STEERING BRAKES |
| 2/27/2015 | 168DA | PARKS | SERVICE POWER STEERING BRAKES |
| | 394DA | POLICE | NO AWD |

MAINTENANCE REPORT - BUILDING # 6

WATER FUND

February-2015

| | | | |
|-----------|--------|-------|--------------------|
| 2/2/2015 | 397DA | WATER | SERVICE BRAKES |
| 2/3/2015 | 176DA | WATER | SERVICE BRAKES |
| | 280DA | WATER | SERVICE |
| 2/4/2015 | SANDER | WATER | NO START |
| 2/9/2015 | 176DA | WATER | REPAIR SANDER |
| | 368DA | WATER | REPAIR SANDER |
| 2/20/2015 | 102DA | WATER | BUCKET BLADE |
| | 152DA | WATER | SERVICE |
| 2/23/2015 | 132DA | WATER | SERVICE CLUTCH FAN |
| | 283DA | WATER | SERVICE |
| | 387DA | WATER | SERVICE |
| 2/24/2015 | 397DA | WATER | STUCK IN PARK |
| 2/26/2015 | 159DA | WATER | ELECTICAL |