



CITY OF DANBURY

155 DEER HILL AVENUE
DANBURY, CONNECTICUT 06810

ENGINEERING DEPARTMENT
(203) 797-4641
FAX (203) 796-1586

WILLIAM J. BUCKLEY, JR., P.E.
DIRECTOR OF PUBLIC WORKS / CITY ENGINEER

February 18, 2005

Mayor Mark D. Boughton
Common Council
City of Danbury
155 Deer Hill Avenue
Danbury, CT 06810

Re: Engineering Department Monthly Report to the Common Council

Dear Mayor Boughton and Members of the Common Council:

Attached you will find the monthly report for the month of January 2005 for the Engineering Department of the City of Danbury. Additionally, you will find information on the Highway Division, the Forestry Division, and the Parks Maintenance Division of the Public Works Department. I will also give you an update as to what is happening in the Public Utilities Division and incorporate into this report a report from Paul Galvin, who is filling in as Superintendent of Public Utilities on a temporary basis.

As I have done in the past, I have attached a list of major projects that the City of Danbury is involved in, along with a short status report as to the current status of the project as well as the department under whose jurisdiction the project falls. While this list does not contain every project that the City is involved in, it does contain the major projects. As I have also done in the past, I will email you an updated copy of this list just prior to the monthly meeting of the Common Council, which list will contain the most current information. If you have any questions regarding this list, do not hesitate to contact myself or the department head under which the project is listed.

I have also attached for you a list of assessment projects that you have forwarded to us for action. We continue to make good progress on this assessment list and will be completing a number of these projects within the next couple of months, namely the Candlelight Drive area water line and the Backus Avenue sanitary sewer. As you are aware, in the month of February we had public hearings on the proposed water and sanitary sewer assessment projects for both the Cornell Hills area and the Jeanette Heights area. In the near future, we hope to get out to bid the Jackson Drive, Carolyn Avenue, and Cozy Hollow Road areas sanitary sewer assessment projects. Shortly we will be finalizing Plans for Section A of the Old Farm Road sanitary sewer assessment project and we are working on the design of the Boulevard Drive area sanitary sewer assessment project. Once these designs are complete, we will come to you for authorizations for the acquisitions of necessary easements for the construction of pump stations and/or sewer lines.

Within the Highway Department, we have written to you requesting additional funds for the overtime account for ice and snow removal. As you are aware, at the end of January we had a significant storm, which occurred on the weekend, which cost the City approximately \$58,000.00 in overtime expenses. With the money you appropriated at the last Common Council meeting for sand and salt, we were able to get sufficient deliveries of sand and salt to replenish our stock piles and it is my anticipation that, barring any unusual amount of additional winter storms, we will have sufficient supplies to get us through the remainder of the year.

As you may imagine, we are starting to gear up for our spring construction projects including various work on sidewalks. Once the weather clears, we will complete the work at the Danbury War Memorial and begin construction on the Center Street area sidewalks. We are also looking to install sidewalks on portions of Kenosia Avenue near the intersection of Backus Avenue.

School projects are moving forward at a steady pace, at this time. The Magnet School is out to bid, as I am writing this report, and by the time you meet for your March meeting, the bids will have been received. We will review those bids with our consultants and make awards to the low bidders, during the month of March. It is our anticipation that the Magnet School will be under construction sometime in April of 2005. With respect to the two middle schools, we are looking to go out to bid shortly, Broadview we intend to bid in April and Rogers Park in May. We are also looking forward to bidding and starting construction on the Osborne Street replacement field, which will be relocated on the Broadview Middle School site. We would like to construct that field this summer and have it seeded and grass growing so that we can start the 2006 season on that field. With respect to the Roberts Avenue replacement school, it is our intent to get that project out to bid sometime in September of 2005, for construction to begin this November. We are also working with our consultants to upgrade four of the science classrooms at the Danbury High School. The source of funds for this project is also the bond package of March 2004 and we are using the miscellaneous school improvement line item for this particular upgrade of those four classrooms.

Last month, we interviewed consultants for various on-call bridge projects and various on-call architectural landscape projects. We continue to work on the Rose Hill Avenue Bridge and have filed three applications for state funding for other bridges that you authorized in December and January. We will be looking to work with the Local Bridge Improvement Unit of the State DOT to help fund these projects later this year.

The Engine Company No. 25 project should be out to bid in the near future and we anticipate receiving this month the site evaluation reports on Engine Company No. 26, which was included in the 21st Century Bond Package. Work continues on the Fire Training Center on Plumtrees Road.

With respect to the Forestry Division of the Public Works Department, we continue to address unsafe trees and branches, concentrating primarily on branches that hang down into the roadway, as we are plowing snow. We have also submitted a CDBG grant application for stump removal. As I indicated to you last month, as you drive around the City, you will see a considerable number of stumps that have resulted from years of cutting down dead and diseased trees (list attached for your review). Those stumps need to be removed and the sidewalks adjacent to them repaired and restored. It is our hope that we can get that project underway this summer. The Forestry Division also completed the cutting of the trees in the East Gate neighborhood, where you authorized us to acquire a drainage easement last year. The Highway

Division of the Public Works Department will be installing the drainage in this construction season.

With respect to the Parks Maintenance Division of the Public Works Department, we continue to do minor repairs to the various playgrounds and we are looking toward improvements and renovations to existing playgrounds. We have applied for a CDBG Grant for the purpose of updating and renovating the park on Beaver Street. It is our intent to give the entire park a facelift including resurfacing the playing fields, replacing the broken benches and tables and restoring the lighting and fencing. We are also working on the Rogers Park bathrooms and the Highland Avenue park improvements. We also plan to completely evaluate the Rogers Park fields and playgrounds, so that we can increase parking and improve drainage in that park.


The downtown-parking garage will be out to bid shortly. It is our intent bid the project next month and we are working with the property owners to put the finishing touches on a number of the acquisitions necessary for the construction of the garage.

With respect to the Public Utilities Department, we have advertised for a new Superintendent of Public Utilities and the Civil Service Commission has established an eligibility list. Interviews will be conducted and a recommendation will be made to Mayor Boughton shortly. Paul Galvin, who retired from the City last June, has agreed to return and fill in on a temporary/part-time capacity at the Public Utilities Department covering the daily operations. With respect to the five million dollar bond package regarding water and the other five million dollar bond package regarding sewer, we are moving forward on many of those projects. We will be awarding a contract to a meter supplier this spring and begin re-metering the entire City sometime in May. That process will take us approximately one year and upon completion, we will be able to read every meter in the City of Danbury in one day with new radio frequency read devices installed on every meter. Additionally, we are working on the design of a two million gallon concrete storage tank on the west side of the City to supplement our existing high service water system and we will begin laying water pipe on Scuppo Road down to Segar Street through Mill Ridge in the next week or two. All of these projects were funded by the 21st Century Danbury Bond issue.

We continue to negotiate with the Towns of Brookfield and Bethel regarding sanitary sewer capacity. Two of your members sit on those negotiating committees, Michael Calandrino and Fred Visconti. We are making progress with Brookfield. Bethel has asked to hold off for a period of time while they regroup regarding the Payne Road sewer.

I apologize for the lengthiness of this report, however, I wanted to try to cover each and every aspect that the Public Works Department is involved in to give you a picture of what is going on within the department. Should you have any questions on this report or any other aspect of the Public Works Department, please do not hesitate to bring them to my attention.

Very truly yours,



William J. Buckley, Jr., P.E.
Director of Public Works/City Engineer

WJB/com
Encl.

RECEIVED

FEB 16 2005

Report For February - 05

ENGINEERING DEPT

THE TREE DEPT DID THE FOLLING TRIMMING
FOR NOW TRUCKS - HORSESHOE DR - MAPLE - JOHNSON DR -
PEMBROKE TERRACE - EAST PEMBROKE - MAPLE OFF PECK R.O.
DAN R.O. - INDIAN HEAD - WEST PINE DR - FILMORE AVE -
BUCKSHIRE - CLAYTON RD.

WE HAVE BEEN WORKING WITH S+B TREE COMPANY
ON EAST GATE DAMAGE PROJECT.

WE HAVE BEEN WORKING ON TREE STUMP LIST
FOR THE ENGINEERING DEPT.

WE ARE HELPING LEWIS TREE FROM CL+P ON
TAKING DOWN AND PICKING UP WOOD ON TOWNHILL AVE -
STARRS PLAIN RD.

WE ARE ALSO BEEN PLOWING AND ENDING PARKING LOTS
AND SIDEWALKS DOWNTOWN.

WE HELPED HIGHWAY DEPT REMOVE LOGS FROM
UNDER BRIDGES THAT WAS BLOCKING THE STILL RIVER.

WE ARE STARTING TO TRIM MILLRIDGE INTERMEDIATE
AND PRIMARY SCHOOLS CUTTING LIMBS OVER THE WALKS.



RECEIVED
FEB 15 2005
ENGINEERING DEPT.

CITY OF DANBURY

DEPARTMENT OF PUBLIC UTILITIES
155 DEER HILL AVENUE
DANBURY, CONNECTICUT 06810

MARIO RICOZZI, P.E., F.ASCE
SUPERINTENDENT OF PUBLIC UTILITIES

(203) 797-4539
FAX: (203) 796-1590

TO : Common Council - City of Danbury
FROM : Paul Galvin, Superintendent of Public Utilities
DATE : February 10, 2004
RE : WATER DEPARTMENT REPORT : JANUARY 2005

I. WATER PRODUCTION :

A) Margerie Water Treatment Facility :	<u>81.6</u>	<u>MG.</u>
B) West Lake Water Treatment Facility :	<u>131.7</u>	<u>MG.</u>
C) Kenosia Well Field :	<u>0</u>	<u>MG.</u>
D) Osborne Street Well Field :	<u>0</u>	<u>MG.</u>
E) Other :	<u>0</u>	<u>MG.</u>

(MG. = Million Gallons)

II. RAINFALL :

A) Month :	<u>4.34</u>	<u>inches</u>
B) Past Year (12 mos.):	<u>54.05</u>	<u>inches</u>
C) Current Year (Jan.- Current Mo.):	<u>4.34</u>	<u>inches</u>

III. WATER STORAGE :

A) Margerie Reservoir :	<u>100.0</u>	<u>%</u>
B) West Lake Reservoir :	<u>91.2</u>	<u>%</u>
C) East Lake Reservoir :	<u>100.0</u>	<u>%</u>
D) Total :	<u>95.8</u>	<u>%</u>

date: 1/3/05





CITY OF DANBURY
DEPARTMENT OF PUBLIC UTILITIES
155 DEER HILL AVENUE
DANBURY, CT 06810

(203) 797-4637
FAX: (203) 796-1590

MEMORANDUM

DATE: February 15, 2005
TO: City of Danbury, Common Council
FROM: Paul Galvin, Superintendent *Paul Galvin*
RE: Sewer Collection Monthly Report – January 2005

Complaints: 6


Number Received: 6

Number Completed: 6

Pipe Cleaned: 800 LF

Pipe Inspected:

COMMENTS:



CITY OF DANBURY
PUBLIC UTILITIES

FEB 14 2005

Drawn Date _____
Permanent _____
File Code _____

To: Paul Galvin, Temp. Acting Superintendent of Public Utilities, City of Danbury
From: Jon Hoisak, Project Manager 
Subject: WPCP Report For Month of: January, 2005
Date: 02/11/05

I. Wastewater Treatment:

A) Sewage Processed:	332	Million Gallons
B) Septic Waste Processed:	570,500	Gallons
C) Sludge Pumped To Digesters:	574,833	Pounds

II. Wastewater Quality

	Influent	Effluent	% Removal	Effluent Limit
A) BOD (mg/l)	243	5	98	30 mg/l and 85%
B) Total Suspended Solids (mg/l):	346	6	98	30 mg/l and 85%
C) Total Phosphorus (mg/l):	10.1	6.9	32	N/A
D) Ammonia (mg/l):	20.0	0.48	98	4.0 mg/l
E) Total Nitrogen (lbs/Day):	2,962	1,547	48	748 lbs/day

note: phosphorus and ammonia limits apply May through September

III. Pump Station Operation:

A) Beaver Brook:	728.5 Hours Run
B) Southfield:	40.0 Hours Run
C) Mill Plain:	112.7 Hours Run
D) Backus:	102.7 Hours Run
E) Tarrywile	101.1 Hours Run
F) Turner Road:	29.2 Hours Run
G) Ford Avenue:	28.0 Hours Run
H) Indian Glen:	115.6 Hours Run
I) Delay Street:	47.6 Hours Run
J) Hayestown Road:	49.0 Hours Run
K) Kenosia Avenue:	2.3 Hours Run
L) Larson Drive:	66.6 Hours Run
M) Landfill:	103.8 Hours Run

Total Pump Station Alarms: 8



EQUIPMENT MAINTAINCE

BUILDING #4

JANUARY 2005

<u>DATE</u>	<u>VEHICLE</u>	<u>REPAIR DONE</u>	<u>DEPT.</u>
1/3/2005	171DA	FRONT SHOCKS/OUTER TIE ROD ENDS	FORESTRY
	04-I-26	SERVICE TENCO BODY	HIGHWAY
	97-I-23	REPAIR LIGHTS/SERVICE TENCO BODY	HIGHWAY
	03-I-14	SERVICE TENCO BODY	HIGHWAY
	97-I-27	SERVICE TENCO BODY	HIGHWAY
	90-I-28	AUGER CHAIN FRONT GEARS	HIGHWAY
	96-I-33	SERVICE TENCO BODY	HIGHWAY
	04-I-26	SERVICE TENCO BODY	HIGHWAY
	96-I-20	SERVICE TENCO BODY	HIGHWAY
	90-I-37	SERVICE TENCO BODY	HIGHWAY
	30DA	SERVICE	FORESTRY
	56DA	SERVICE/BRAKES	PARK/RECS
1/4/2005	90-I-28	AUGER CHAIN FRONT GEARS	HIGHWAY
	171DA	FRONT SHOCKS/OUTER TIE ROD ENDS	FORESTRY
	30DA	SERVICE	FORESTRY
	56DA	SERVICE/BRAKES	PARK/RECS
	90-I-47	SERVICE TENCO BODY	HIGHWAY
	00-I-7	STRAIGHTEN SANDER CHUTE	HIGHWAY
	90-I-17	REPAIR STROBE LIGHT/SERVICE TENCO BODY	HIGHWAY
	03-S-11	SERVICE TENCO BODY	HIGHWAY
	00-I-87	REPAIR CAB LIGHT	HIGHWAY
	03-I-9	SERVICE TENCO BODY	HIGHWAY
	89-JD-59	REPLACE HORN BUTTON SHEILD	HIGHWAY
	355DA	STROBE LIGHT	PARK/RECS
1/5/2005	03-I-9	SERVICE TENCO BODY	HIGHWAY
STORM	90-I-5	SERVICE TENCO BODY	HIGHWAY
	56DA	SERVICE/BRAKES	PARK/RECS
	00-I-87	MIRROR	HIGHWAY
	181DA	SERVICE	HIGHWAY
	03-S-30	STRAIGHTEN SANDER CHUTE	HIGHWAY
	180DA	SERVICE	HIGHWAY
	01-F-41	SEAT BELT LIGHT STAYS ON	HIGHWAY
	00-I-16	STROBE LIGHT	HIGHWAY
	94-I-4	STROBE LIGHT	HIGHWAY
	90-I-17	CHECK PTO LEVEL	HIGHWAY
	04-I-10	ROAD SERVICE-CHARGE BATTERIES	HIGHWAY
	90-I-25	WIPER BLADES	HIGHWAY
	355DA	STROBE LIGHT/SIGNAL LIGHT	PARK/RECS
	97-I-29	STROBE LIGHT	HIGHWAY
	96-I-20	REPAIR EXHAUST CLAMPS	HIGHWAY
	97-I-86	DRILL OUT PLOW PIN	HIGHWAY
	90-I-47	ADJUST BRAKES	HIGHWAY
	90-I-17	ADJUST BRAKES	HIGHWAY
	04-I-1	CHECK NEW TRUCK	HIGHWAY
	87-F-18	CHECK SPRINGS/WHEELS	HIGHWAY
	90-I-47	PLOW CONTROLS STICK	HIGHWAY
	00-I-8	PLOW LIGHT OUT	HIGHWAY
	04-I-1	AIM PLOW LIGHTS	HIGHWAY
	03-S-30	CHECK SANDER PATTERN/PLOW PIN	HIGHWAY
1/6/2005	87-F-18	REPAIR PLOW SHOE	HIGHWAY

EQUIPMENT MAINTAINCE
BUILDING #4
JANUARY 2005

STORM	181DA	SERVICE	HIGHWAY
CONT.	180DA	SERVICE	HIGHWAY
	56DA	SERVICE/BRAKES	PARK/RECS
	90-I-28	FRONT CONVEYOR GEARS	HIGHWAY
	93-F-96	DIAGNOSIS FRONT END VIABRATION	HIGHWAY
	268DA	SERVICE	FORESTRY
	97-I-86	HYDRAULIC LEAK	HIGHWAY
	94-I-4	NO HEAT	HIGHWAY
1/7/2005	90-I-28	FRONT CONVEYOR GEARS	HIGHWAY
STORM	93-F-96	FRONT END VIABRATION	HIGHWAY
CONT.	268DA	SERVICE	FORESTRY
	97-I-85	TIGHTEN ANTENNA	HIGHWAY
	90-I-5	MIRROR	HIGHWAY
	90-I-47	PLOW PIN JAMMED	HIGHWAY
	90-I-37	ADJUST BRAKES	HIGHWAY
	00-I-87	WIPER MOTOR/DROP DOWN CHAINS	HIGHWAY
	96-I-33	SANDER LIGHT	HIGHWAY
	90-I-17	LIGHTS	HIGHWAY
	92-F-74	CHECK POWER STEERING/BRAKES	AIRPORT
	04-I-34	ADJUST AUGER CHAIN	HIGHWAY
	70-FL-00	NO START	EQUIP MAINT
1/10/2005	00-I-87	WIPER MOTOR/DROP DOWN CHAINS	HIGHWAY
	90-I-28	FRONT CONVEYOR GEARS	HIGHWAY
	93-F-96	REBUILD FRONT END	HIGHWAY
	250DA	ELECTRICAL-REPLACE BATTERY	PARK/RECS
	90-I-37	REPAIR JAKE BRAKE	HIGHWAY
	97-I-29	HYDRAULIC LEAK-REPAIR STROBE LIGHTS	HIGHWAY
	92-F-46	REPAIR FLAT TIRE	HIGHWAY
	01-F-41	REPAIR LIGHTS	HIGHWAY
	90-I-12	REPAIR AIR LEAK	HIGHWAY
	92-F-45	PTO INOP.	HIGHWAY
	00-I-7	SPINNER SKIPS-PTO NOISE	HIGHWAY
	00-I-21	PERFORMANCE/ABS LIGHT ON	HIGHWAY
	167DA	REPLACE HEADLIGHT BULB	PARK/RECS
	99-F-105	WIPER BLADES	HIGHWAY
1/11/2005	00-I-21	PERFORMANCE/ABS LIGHT ON	HIGHWAY
STORM	93-F-96	REBUILD FRONT END	HIGHWAY
	97-I-29	REPAIR STROBE LIGHTS	HIGHWAY
	89-JD-59	COOLANT LEAK-WATER PUMP	HIGHWAY
	85-F-43	ROAD SERVICE-JUMP START	HIGHWAY
	90-I-44	SERVICE TENCO BODY	HIGHWAY
	97-I-86	SERVICE TENCO BODY	HIGHWAY
	112DA	FLAT TIRE	ENGINEERING
	00-I-8	WIPER BLADES	HIGHWAY
	04-I-10	SANDER LIGHT	HIGHWAY
	90-I-37	COOLANT LEADK-RADIATOR LEAK	HIGHWAY
	97-I-27	BRAKE LIGHT OUT	HIGHWAY
	04-F-35	AIR COMPRESSOR	EQUIP MAINT
	94-I-6	REPLACE FRONT WHEEL OIL CAP	HIGHWAY
	96-I-33	HOOKE PLOW HOSES	HIGHWAY
	04-I-31	REPLACE PLOW GUIDE	HIGHWAY

EQUIPMENT MAINTAINCE
BUILDING #4
JANUARY 2005

1/12/2005	04-I-10	REPLACE PLOW PIN	HIGHWAY
STORM	04-I-31	ENGINE LIGHT ON	HIGHWAY
CONT.	00-I-19	REMOVE STONE FROM REAR TIRES	HIGHWAY
	04-I-1	HYDRAULIC FLUID LIGHT ON	HIGHWAY
	89-JD-59	INSTALL WATER PUMP	HIGHWAY
	93-F-96	REBUILD FRONT END	HIGHWAY
	250DA	4WD INOP.	PARK/RECS
1/13/2005	97-I-2	ADJUST BRAKES	HIGHWAY
	89-JD-59	INSTALL WATER PUMP	HIGHWAY
	250DA	REPLACE 4WD SWITCH	PARK/RECS
	194DA	COOLANT LEAK-WATER PUMP	PARK/RECS
	00-I-7	WIPER BLADES/MUDFLAP/HYD. LEAK	HIGHWAY
	03-S-30	ADJUST CONVEYOR CHAIN	HIGHWAY
	97-I-85	ADJUST BRAKES	HIGHWAY
	90-I-12	AIR LEAK	HIGHWAY
	03-S-30	SERVICE TENCO BODY	HIGHWAY
	93-F-96	REBUILD FRONT END	HIGHWAY
1/14/2005	90-I-12	REPAIR AIR LEAK	HIGHWAY
	90-I-37	INSTALL RADIATOR	HIGHWAY
	93-F-96	REBUILD FRONT END	HIGHWAY
	94-I-15	ADJUST BRAKES	HIGHWAY
	GENERATOR	WON'T BUILD UP SPEED	HIGHWAY
	00-I-87	REPLACE DROP DOWN CHAIN SOLENOID	HIGHWAY
	174DA	ROAD SERVICE-JUMP START/BATTERY	PARK/RECS
	90-I-17	ADJUST BRAKES/AUGER-B.U. LIGHTS	HIGHWAY
	92-F-74	CHECK BRAKES/POWER STEERING	HIGHWAY
	97-I-23	FREE-UP CONVEYOR DOORS	HIGHWAY
	194DA	CHECK PLOW OPERATION	PARK/RECS
	96-I-33	WIPERS WON'T PARK	HIGHWAY
1/17/2005	05-I-5	FILL WASHER FLUID	HIGHWAY
STORM	194DA	CHECK PLOW OPERATION	PARK/RECS
	05-F-54	REAR FLAT TIRE	HIGHWAY
	97-I-27	ROAD SERVICE-NO START	HIGHWAY
1/18/2005	97-I-27	NO START-FUEL PROBLEM	HIGHWAY
	194DA	REPLACE PLOW CONTROL VALVE	PARK/RECS
	92-F-74	REPLACE POWER STEERING PUMP	HIGHWAY
	96-I-20	EXHAUST/ADJUST BRAKES/MIRROR/WIPERS	HIGHWAY
	89-JD-59	REPLACE BUCKET GREASE FITTINGS	HIGHWAY
	94-I-4	REPLACE STEERING WHEEL/DOOR HINGE	HIGHWAY
	05-I-10	REMOVE TARP ASSY	HIGHWAY
	96-I-33	REPLACE WIPER MOTOR	HIGHWAY
	180DA	ADJUST BRAKES/CK. DOOR HANDLE	HIGHWAY
1/19/2005	96-I-33	REPLACE WIPER MOTOR	HIGHWAY
STORM	94-I-4	REPLACE STEERING WHEEL/DOOR HINGE	HIGHWAY
	00-I-21	STRAIGHTEN DRIVER'S DOOR	HIGHWAY
	90-I-12	TAILGATE WON'T OPEN	HIGHWAY
	03-S-30	ADJUST SANDER PATTERN	HIGHWAY
	250DA	SERVICE/STARTER/DOOR HANDLE	AIRPORT
	194DA	REPLACE PLOW CONTROL VALVE	PARK/RECS
	90-I-44	ROAD SERVICE-JUMP START	HIGHWAY
	00-I-7	PLOW COUPLERS	HIGHWAY

EQUIPMENT MAINTAINCE

BUILDING #4

JANUARY 2005

	90-I-47	REPLACE WIPER ARM	HIGHWAY
	90-I-44	ADJUST BRAKES	HIGHWAY
	01-F-41	ALIGN HEADLIGHTS	HIGHWAY
	94-I-48	REPAIR SPINNER SHAFT	HIGHWAY
	05-F-54	WIPER BLADES	HIGHWAY
1/20/2005	97-I-23	REPLACE AUGER CHAIN/AIR CHAMBER	HIGHWAY
STORM	97-I-86	PLOW COUPLERS	HIGHWAY
CONT.	05-I-26	PLOW COUPLERS	HIGHWAY
	05-I-34	PLOW COUPLERS	HIGHWAY
	05-I-31	PLOW COUPLERS	HIGHWAY
	94-I-15	PLOW COUPLERS	HIGHWAY
	04-JD-67	AIR-UP TIRES	HIGHWAY
	05-F-54	REAR FLAT TIRE	HIGHWAY
	00-I-19	REMOVE ROCK IN REAR TIRES	HIGHWAY
	90-I-17	ROAD SERVICE-SHIFTER PROBLEM/ADJUST BRAKES	HIGHWAY
	154DA	REPAIR SHIFTER LEVER	PUBLIC BLDG
	250DA	REAR BRAKES	AIRPORT
	89-JD-59	REPLACE BUCKET CUTTING EDGE	HIGHWAY
	00-I-21	REPLACE MIRROR BRACKETS/MUDFLAP	HIGHWAY
	90-I-44	REPAIR EXHAUST/CK. BRAKES/SANDER CHUTE	HIGHWAY
	355DA	REPLACE BOLT IN PLOW TRIP EDGE	PARK/RECS
	00-I-7	CK. BRAKES/ADJUST	HIGHWAY
1/21/2005	00-I-7	CK. BRAKES/ADJUST	HIGHWAY
	250DA	REAR BRAKES	PARK/RECS
	90-I-44	BRAKE CHAMBERS/EXHAUST/SANDER CHUTE	HIGHWAY
	03-S-11	FILL HYDRAULIC FLUID	HIGHWAY
	90-I-25	BRAKE CHAMBER/SERVICE TENC0 BODY	HIGHWAY
	97-I-29	REPAIR SANDER LIGHTS	HIGHWAY
	00-I-87	PLOW COUPLER/CHECK HYDRAULIC LEAK	HIGHWAY
	00-I-16	ABS LIGHT ON/REPLACE PLOW LIFT CYL.	HIGHWAY
	97-I-27	STROBE LIGHT/MARKER LIGHTS	HIGHWAY
	04-JD-67	FUEL FILTERS/FUEL LINE	HIGHWAY
	90-I-47	REPAIR LIGHTS	HIGHWAY
	92-F-46	ELECTRICAL-REPLACE BATTERY	HIGHWAY
1/22/2005	97-I-27	STRAIGHTEN PLOW FRAME	HIGHWAY
STORM	01-F-41	REPLACE PLOW COUPLERS	HIGHWAY
	136DA	WIPER BLADES	HIGHWAY
	03-S-11	PLOW COUPLERS/WIPER HOSE	HIGHWAY
	05-I-31	ICE IN WIPERS	HIGHWAY
	01-F-50	WIPER ARM	HIGHWAY
	286DA	WIPER BLADES/FILL PLOW FLUID	PUBLIC BLDG
	97-I-86	REPLACE PLOW SWING CYLINDER	HIGHWAY
	00-I-16	CHECK HEATER MOTOR	HIGHWAY
	90-I-5	ADJUST BRAKES	HIGHWAY
	355DA	REPLACE FRONT TIRE	PARK/RECS
	94-I-4	REPLACE WIPER ARM	HIGHWAY
	00-I-7	REPLACE MIRROR	HIGHWAY
	97-I-85	WIPER BLADES	HIGHWAY
	00-I-87	WIPER TRANSMISSION CLIP	HIGHWAY
	00-I-16	REPAIR EXHAUST	HIGHWAY
	89-JD-59	REPAIR LIGHTS	HIGHWAY

EQUIPMENT MAINTAINCE

BUILDING #4

JANUARY 2005

	01-F-41	REPAIR WIPER BLADES	HIGHWAY
	167DA	WIPER BLADES	PARK/RECS
	151DA	PLOW DOES NOT RAISE	PUBLIC BLDG
	PLOW #25	STRAIGHTEN EAR	HIGHWAY
	05-I-26	WIPER BLADES	HIGHWAY
	97-I-27	PLOW COUPLERS	HIGHWAY
	97-I-29	PLOW GUIDE	HIGHWAY
	05-I-10	STRAIGHTEN SANDER CHUTE	HIGHWAY
	97-I-86	PLOW COUPLERS	HIGHWAY
	94-I-15	SANDER DISC/FLYTES	HIGHWAY
	96-I-20	CHECK HEADLIGHT AND HEAT	HIGHWAY
1/23/2005	90-I-37	ADJUST BRAKES	HIGHWAY
STORM	48DA	WIPER BLADES	HIGHWAY
CONT.	00-I-16	HOOK-UP PLOW	HIGHWAY
	87-F-18	PLOW SHOE/TRANS. FLUID	HIGHWAY
	97-I-23	REAR FLAT TIRE	HIGHWAY
	00-I-8	REPAIR LIGHTS	HIGHWAY
	96-I-33	MIRRORHEAD	HIGHWAY
	94-I-15	REPAIR WIPER BLADES	HIGHWAY
	90-I-12	ADJUST BRAKES	HIGHWAY
	94-I-15	REPLACE PLOW CHAIN	HIGHWAY
	90-I-44	HOOK UP PLOW/HYDRAULIC HOSE	HIGHWAY
	01-F-24	ROAD SERVICE-REPLACE FUEL FILTER	HIGHWAY
	90-I-37	TOW IN-REAR WHEEL HUB/TIRES	HIGHWAY
1/24/2005	97-I-86	FLAT TIRE	HIGHWAY
STORM	90-I-37	REPLACE REAR WHEEL HUB ASSY	HIGHWAY
CONT.	88-C-42	BATTERY BOOSTER NO START	EQUIP MAINT
	90-I-12	HYDRAULIC LEAK-REPLACE HOSE	HIGHWAY
	90-I-5	MOUNT PLOW	HIGHWAY
	00-I-21	WINDSHEILD WASHER HOSE	HIGHWAY
	151DA	REMOVE PLOW UNIT FOR REPAIR	PUBLIC BLDG
	90-I-85	INSTALL PLOW GUIDE	HIGHWAY
	05-I-26	PLOW NO RAISE OR LOWER	HIGHWAY
	94-I-6	REPAIR EXHAUST	HIGHWAY
	90-I-44	REPLACE 2-WAY RADIO MAST	HIGHWAY
	00-I-7	PLOW COUPLER	HIGHWAY
	03-S-30	REMOVE BENT PLOW PIN	HIGHWAY
	94-I-15	REPAIR PLOW CURB FINDER	HIGHWAY
	94-I-6	HYDRAULIC LEAK-REPLACE HOSE	HIGHWAY
	00-I-87	ROAD SERVICE-REPLACE BATTERIES	HIGHWAY
1/25/2005	88-C-42	BATTERY BOOSTER NO START	EQUIP MAINT
	01-F-50	REPLACE FRONT TIRE	HIGHWAY
	94-I-15	ADJUST BRAKES/WIPER ARM/EXHAUST	HIGHWAY
	01-E-83	REMOVE STROBE LIGHT ASSY	HIGHWAY
	154DA	ELECTRICAL PROBLEM	PUBLIC BLDG
	97-I-27	REPLACE FUEL FILTER	HIGHWAY
	90-I-12	ROAD SERVICE-AIR LEAK/CHAMBER	HIGHWAY
	01-F-41	REPAIR WIPER ARM	HIGHWAY
	97-I-86	ADJUST BRAKES/PLOW FITTINGS	HIGHWAY
	112DA	MOUNT TIRE	ENGINEERING
	90-I-37	REPLACE REAR WHEEL HUB ASSY	HIGHWAY

EQUIPMENT MAINTAINCE
BUILDING #4
JANUARY 2005

	05-I-31	REPLACE HYD. PLOW HOSE	HIGHWAY
	151DA	INSTALL PLOW UNIT	PUBLIC BLDG
	94-I-4	REPLACE WIPER MOTOR	HIGHWAY
1/26/2005	94-I-4	REPLACE WIPER MOTOR	HIGHWAY
STORM	94-I-15	HYDRAULIC LEAK-REPLACE HOSE	HIGHWAY
	250DA	TOW IN-REPLACE TIE ROD ENDS	AIRPORT
	05-I-31	PLOW PIN AND SHACKLE	HIGHWAY
	97-I-86	PERFORMANCE PROBLEM/AIR SEAT LEAKS	HIGHWAY
	05-I-26	WIPER BLADES	HIGHWAY
	94-I-6	ADJUST BRAKES	HIGHWAY
	00-I-87	REPAIR CURB FINDER	HIGHWAY
	90-I-12	CHECK SPRINGS/BRAKES	HIGHWAY
	151DA	PLOW FITTINGS	PUBLIC BLDG
	194DA	CHECK PLOW OPERATION	PARK/RECS
	90-I-47	ROAD SERVICE-DIED OUT	HIGHWAY
	151DA	PLOW FITTINGS	PUBLIC BLDG
	00-I-87	WIPER BLADES	HIGHWAY
	03-I-9	WIPER BLADES	HIGHWAY
	90-I-17	ROAD SERVICE-FLAT TIRE	HIGHWAY
	90-I-44	ROAD SERVICE-PLOW SHACKLE	HIGHWAY
	00-I-87	FRONT WHEEL OIL CAP	HIGHWAY
1/27/2005	00-I-8	ADJUST BRAKES	HIGHWAY
	90-I-37	REAR BRAKES	HIGHWAY
	05-I-10	WIPER BLADES/REPLACE SANDER CHUTE	HIGHWAY
	05-I-26	STROBE LIGHTS	HIGHWAY
	00-I-87	STROBE LIGHTS	HIGHWAY
	90-I-17	PTO LEAK/LIGHTS/CK BRAKES	HIGHWAY
1/28/2005	90-I-37	REAR BRAKES	HIGHWAY
	05-I-10	WIPER BLADES/REPLACE SANDER CHUTE	HIGHWAY
	96-I-20	PLOW LIGHT OUT	HIGHWAY
	96-I-33	STRAIGHTEN DOOR/MIRROR BRACKETS	HIGHWAY
	90-I-12	THROTTLE STICKS/OIL-WATER LIGHT ON	HIGHWAY
	90-I-47	ELECTRICAL PROBLEM	HIGHWAY
	03-S-11	ADJUST AUGER CHAIN	HIGHWAY
	RENT GRADER	ROAD SERVICE-TURNTABLE BOLT	HIGHWAY
	99-JD-57	ROAD SERVICE-NO START	HIGHWAY
1/31/2005	90-I-17	LIGHTS/PLOW VALVE SPRING	HIGHWAY
	00-I-21	SERVICE	HIGHWAY
	90-I-47	REPAIR ENGINE JAKE BRAKE	HIGHWAY
	01-F-41	TAILIGHT OUT	HIGHWAY
	97-I-85	SERVICE/REAR BRAKES	HIGHWAY
	154DA	INSTALL NEUTRAL SAFETY SWITCH	PUBLIC BLDG
	96-I-33	ROAD SERVICE-NO START	HIGHWAY
	03-F-49	SERVICE/INSTALL RUNNING BOARDS	HIGHWAY

GARAGE #6 DAILY REPORT JAN 05

1/3/2005	337DA	POLICE	SERVICE
	18DA	POLICE	NOISE
	224DA	HEALTH	SERVICE
	275DA	PUB BLD	TENSION PULLY
1/4/2005	132DA	WATER	TIRES BRAKES
	16DA	TRAFFIC	FRONT END NOISE
	113DA	POLICE	STEERING NOISE
1/5/2005	18DA	POLICE	NOISE
	238DA	HWY	ELECTRICAL
	4DA	POLICE	NOISE
1/6/2005	238DA	HWY	ELECTRICAL
	455STP	SERVICE	BRAKES TIRES ECT.
	7DA	POLICE	SERVICE
1/7/2005	238DA	HWY	ELECTRICAL
	898SOD	POLICE	FUEL PUMP WIPER MOTOR
1/10/2005	191DA	ENG	BATTERY R/C
	350DA	WATER	NO START R/C
	238DA	HWY	ELECTRICAL
	898SOD	POLICE	FUEL PUMP WIPER MOTOR
	36DA	POLICE	RUNS POOR
1/11/2005	36DA	POLICE	RUNS POOR
	898SOD	POLICE	FUEL PUMP WIPER MOTOR
	238DA	HWY	ELECTRICAL
	161DA	POOL	BRAKES
1/12/2005	898SOD	POLICE	FUEL PUMP WIPER MOTOR
	161DA	POOL	BRAKES
1/13/2005	338DA	POLICE	RUNS POOR
	115DA	POOL	NO START R/C
	36DA	POLICE	RUNS POOR
	161DA	POOL	BRAKES
	28DA	PARKS	PREP
1/14/2005	818RYL	POLICE	SERVICE BRAKES
	238DA	HWY	ELECTRICAL
	36DA	POLICE	RUNS POOR
	285DA	AIRPORT	TIRES
1/18/2005	101DA	WATER	DOORS HEAT
	36DA	POLICE	RUNS POOR
	192DA	AIRPORT	SERVICE BRAKES
1/19/2005	101DA	WATER	DOORS HEAT SERVICE BRAKES
	192DA	AIRPORT	SERVICE BRAKES
1/20/2005	238DA	HWY	NO HEAT
	126DA	WATER	SERVICE
	338DA	POLICE	NOISE
1/21/2005	167DA	PARKS	WATER PUMP
	109DA	WATER	WATER LEAK
	334DA	POLICE	SERVICE
1/24/2005	238DA	HWY	HEAT
	6DA	POLICE	ELECTRICAL
	158DA	WATER	RUNS POOR R/C

1/25/2005	238DA	HWY	HEAT
	24DA	POOL	BRAKES
	2DA	POLICE	HEAT
	354DA	POLICE	HOOD BRAKES ECT.
1/26/2005	8DA	POLICE	SERVICE ELECTRICAL BRAKES
	238DA	HWY	HEAT
	337DA	POLICE	WIPERS
	158DA	WATER	ELECTRICAL
1/27/2005	354DA	POLICE	HOOD BRAKES ECT.
	238DA	HWY	HEAT
	6DA	POLICE	ELECTRICAL
	418PJR	POLICE	RUNS POOR
1/28/2005	222DA	POLICE	SERVICE BRAKES
	418PJR	POLICE	RUNS POOR
	238DA	HWY	NO HEAT
1/31/2005	222DA	POLICE	FRONT END SERVICE
	101DA	WATER	SERVICE BRAKES
	431MJR	POLICE	RUNS POOR

Hydrant List

Hydrant Number	Hydrant Location	Hydrant Type	Status	Problem	Dig	Date Last Checked	Repair List
	Anchor ST #2		Out of Service	missing		5/22/03	R1
04H037	Apple Ridge Rd		Out of Service	out of order' Schlemmer		6/5/04	R1
private	Apple Ridge Rd		Out of Service	no water		7/3/03	
private	Apple Ridge Rd		Out of Service	no water, partially disassembled		7/3/03	
13H100	Bates Place	4" Holyoke	Out of Service	top nut rose up, leaks badly		5/6/04	
13H249	Beaver Brook Rd #9	4" holyoke	Out of Service	needs to be replaced	X	8/29/03	R1
07H335	Boughton St (Colonial Court)	Holyoke	Out of Service	leaks & loose lft 2 1/2, barrel, steamer & bonnett		9/28/04	
04H028	Boulevard Dr @ Lake Place		Out of Service	cannot open, nut won't turn		8/31/04	
13H141	Center St #19	4" holyoke	Out of Service	missing		8/19/04	
07H165	Dr Aaron b Samuels Blvd #21		Out of Service	missing, stub only is left	X	8/19/04	
06H059	Clapboard Ridge Rd #76B	mueller	Out of Service	left 2 1/2 threads & cap		5/22/03	
14H092	Coal Pit Hill Rd #7 & South St		Out of Service	cannot shut down, hydrant charged		10/7/03	
07H078	Crofut Place #12	Kennedy	Out of Service	steamer wrong threads, 2 1/2 leaks		8/31/04	
08H049	Backus Ave #7 Pizzeria Uno		Out of Service	leaks badly all over	X	6/19/03	E3
08H165	Danbury Square Mall - Kids R Us		Out of Service	no water		8/22/03	E1
08H127	Deer Hill Ave #62 & Garfield		Out of Service	water comes up through the ground		5/29/03	
07H167	Division St & George St		Out of Service	missing	X	5/20/03	R1
03H003	Driftway Hills rear near Bldg E		Out of Service	slightly charged, does not drain	X	5/4/04	
12H081	E Hayestown Rd	Kennedy	Out of Service	stem broken		5/14/04	
13H260	Eagle Rd - 100 ft w of I84	Mueller	Out of Service	shut valve, hydrant needs to be replaced		7/1/04	
13H262	Executive Dr	Kennedy	Out of Service	no indication of what is wrong		7/20/04	
13H263	Executive Dr		Out of Service	missing		5/31/01	
08H067	Fairview Dr	RD Wood	Out of Service	hydrant needs replaced		9/16/04	
08H068	Fairview Dr	RD Wood	Out of Service	hydrant needs replaced		9/16/04	
07H241	Farview Ave #41 & Downs St	AVK	Out of Service	broken during water break		12/1/04	
13H302	Federal Rd Fair Auto Parks - Saturn		Out of Service	large amount of water comes from ground when open		7/20/04	
13H031	First St #5	4" holyoke	Out of Service	needs new barrell	X	9/25/03	R1
private	Franklin St #119 club house		Out of Service	nut won't turn, no water	X	5/28/02	
private	Franklin St #119 entrance		Out of Service	hydrant inaccessible, behind hedges		5/28/02	
08H128	Garfield Ave #49		Out of Service	hit by car		12/22/04	
08H129	Garfield Ave #63		Out of Service	does not drain		5/14/02	
08H131	Garfield Ave #96		Out of Service	leaks from stem nut around bonnet		5/14/02	
13H028	Germantown Rd #10 & Tilden Rd	Holyoke	Out of Service	missing needs to be dug, no valve	X	5/27/03	R1
06H038	Golden Hill Rd#64 & Ezra Rd	Woods	Out of Service	stem sticks, steamer wrong size, too low, needs to be changed out		9/23/04	
private	Great Pasture Rd - Focus Mailing rear lot		Out of Service	broken into two pieces		9/3/02	
private	Great Pasture Rd - Focus Mailing side B/C		Out of Service	rusted tight cannot open or get caps off		9/3/02	
07H044	Hakim St #6	Mueller	Out of Service	leaks badly from base		5/22/03	
07H061	Hobson St & Peace St		Out of Service	no reason given		8/5/03	

Hydrant List

<u>Hydrant Number</u>	<u>Hydrant Location</u>	<u>Hydrant Type</u>	<u>Status</u>	<u>Problem</u>	<u>Dig</u>	<u>Date Last Checked</u>	<u>Repair List</u>
07H117	Hoyt St & Henry St	holyoke	Out of Service	hit by a car		1/10/05	
07H050	Lawncrest #21	Holyoke	Out of Service	needs to be changed out		9/23/04	
13H061	Locust Ave #29		Out of Service	stem leaks, 2 1/2 cap has no threads		7/23/04	
13H040	Locust Ave #72 & Hospital garage	Mueller	Out of Service	leaks at the base		5/14/04	
07H272	Maple Ave #65 & E Franklin St		Out of Service	hit by car, missing		5/29/03	R1
	Margerie St across #11		Out of Service	new, line not accepted yet		1/22/04	
03H011	Mill Plain Rd #93		Out of Service	relocated but, stem not attached to stem valve, hydrant does not turn on		6/15/04	
03H004	Mill Plain Rd - Driftway Rd	AVK	Out of Service	hit by a car		7/16/04	
03H061	Mill Plain Rd - Hilton Gardens		Out of Service	heavy flow of water from underground		5/18/04	E4
03H045	Mill Plain Rd #44		Out of Service	missing, hit by car over winter		6/24/04	
03H006	Mill Plain Rd #48		Out of Service	needs to be changed out		9/23/04	
private	Newtown Rd - Berkshire Shopping Center Wal Mart	PRIVATE	Out of Service	will not open		6/10/04	
private	Newtown Rd - Berkshire Shopping Center Marshals	PRIVATE	Out of Service	new hydrant not turned on		6/10/04	
private	Newtown Rd - Berkshire Shopping Center Town Fair Tire	PRIVATE	Out of Service	steamer stuck, will not shut off		5/30/02	
private	Newtown Rd #103	PRIVATE	Out of Service	will not shut down		4/17/03	
12H015	Oak La Hayestown School	Mueller	Out of Service	cannot open		5/14/04	
07H359	Oakland Ave Ext (tree line by I84)	Holyoke	Out of Service	leaking badly, relocate, replace	X	5/6/04	R1
04H015	Old Ridgebury Rd & Benson Dr		Out of Service	hit by car		12/24/03	
private	Overlook Rd Glenn Apts unit 78		Out of Service	top nut frozen, cannot open		8/22/04	
06H072	Padanaram Rd #1	Kennedy	Out of Service	bad leak at flange connection, top nut black		7/22/03	R1
06H020	Padanaram Rd #25 - unit 27	K-11	Out of Service	change barrell upper		9/23/04	
08H072	Park Ave #97		Out of Service	stem nut spins, no water		7/6/04	
08H075	Park Ave #104 (Pinewood Circle)		Out of Service			8/15/02	
08H070	Park Ave #93		Out of Service	should be removed 4 hyd w/in 100 ft		9/28/04	
08H071	Park Ave #93		Out of Service	should be removed 4 hyd w/in 100ft		9/28/04	
07H155	Pearl St & Pleasant St	holyoke	Out of Service	full of water, steamer threads loose		6/22/04	
private	Prindle La - Banta loading dock side b/c		Out of Service	no water, steamer wrong size		9/3/02	
private	Prindle La - Banta loading dock side c/d		Out of Service	no water, steamer wrong size and facing wrong direction		9/3/02	
13H021	Sand Pit Rd #78		Out of Service	stem frozen		5/27/03	
08H151	Segar St #20		Out of Service	hit by car case#04-8974		8/13/04	
private	Shepherd Hill Condos Bldg 12		Out of Service	stem broken, no water, hydrant rises out of ground when opening		6/24/04	
13H169	Sheridan St #38		Out of Service	hydrant won't shut down, reducer atached		5/11/04	
14H059	South St #6 & Bethel Line	4" holyoke	Out of Service	stem does not turn	X	7/22/03	E1
07H064	South Well Ave & Victor St		Out of Service	barrell cracked	X	8/5/03	E3
07H159	Spruce St #8A	Holyoke	Out of Service	needs to be changed out		9/23/04	

Hydrant List

<u>Hydrant Number</u>	<u>Hydrant Location</u>	<u>Hydrant Type</u>	<u>Status</u>	<u>Problem</u>	<u>Dig</u>	<u>Date Last Checked</u>	<u>Repair List</u>
07H207	Starr Ave	Holyoke	Out of Service	needs to be changed out		9/23/04	
12H053	Sterling Woods - Britannia Dr	Mueller	Out of Service	stem nut spins, hydrant charged		7/15/04	
13H162	Stillman Ave & Town Hill		Out of Service	hit by car		3/12/04	E4
07H236	Thorpe St Ext #21		Out of Service	no water, support utility pole		7/24/03	E1
13H217	Topstone Dr #17		Out of Service	relocate		1/24/03	R1
13H158	Town Hill Ave #27	AVK	Out of Service	left 2 1/2 nipple spins in barrell		9/21/04	
07H221	Ventura Ave #11	Kennedy	Out of Service	stem broken		5/14/04	T&D
07H063	Victor St #13		Out of Service	no reason given		8/5/03	E2
	White Oak Dr #8		Out of Service	2 1/2 outlets have wrong threads		7/8/03	T&D
07H286	White St		Out of Service	cracked underground, needs to be dug	X	7/11/03	E1
13H117	White St		Out of Service	barrell cracked	X	2/12/04	E1
13H109	White St & Durant St		Out of Service	missing		5/14/04	E3
13H101	White St Hoffman Fuel		Out of Service	gasket	X	4/4/02	E1
08H096	Wooster Heights Rd #36	holyoke	Out of Service	needs to be changed out		9/23/04	

Hydrant List

<u>Hydrant Number</u>	<u>Hydrant Location</u>	<u>Hydrant Type</u>	<u>Status</u>	<u>Problem</u>	<u>Dig</u>	<u>Date Last Checked</u>	<u>Repair List</u>
Total Hydrants	1593						
In-Service but need repairs	131						
Out of Service (includes private hydrants)	87						
Out of Service	75						
Out of Service (Private Hydrants)	12						
Hydrants Repaired	275						

Christina
Olmstead/ENGINEERING/COD
D

01/03/2005 09:40 AM

To Mark Boughton/MAYOR/COD@Danbury, Michael
McLachlan/MAYOR/COD@Danbury, Mario
Ricozzi/PUBWORKS/COD@Danbury, Bill
Buckley/ENGINEERING/COD@Danbury, Sarah
Morey/PUBWORKS/COD@Danbury, Dave
Scalzo/PUBMAINT/COD@Danbury, Paul
Galvin/PUBWORKS/COD@Danbury

cc

bcc

Subject Fw: Reservoir Reading

----- Forwarded by Christina Olmstead/ENGINEERING/COD on 01/03/2005 10:03 AM -----



Dean
Hollrah/ENGINEERING/COD

01/03/2005 09:23 AM

To C.Olmstead@ci.danbury.ct.us@Danbury,
S.Davis@ci.danbury.ct.us@Danbury,
K.Green@ci.danbury.ct.us@Danbury

cc


Subject Reservoir Reading

Reservoir Reading

1/3/05

	Down (ft.)	%		Elev. (ft.)
East	(0.03)	100.0%	360,000,000	680.83
Margerie	(0.15)	100.0%	1,057,000,000	626.25
West	1.55	91.2%	1,153,680,000	609.15
Total Gallons in Storage			<u>2,570,680,000</u>	
Composite %			<u>95.8%</u>	
Day Supply (8.5 MGD)			<u>302</u>	

Dean Hollrah



CITY OF DANBURY
155 DEER HILL AVENUE
DANBURY, CONNECTICUT 06810

RICHARD M. PALANZO
SUPERINTENDENT

Department of Public Buildings

Telephone: (203)797-4584
Facsimile: (203)796-1528
Email: r.palanzo@ci.danbury.ct.us

Memorandum

DATE: FEBRUARY 10,2005

TO: Honorable Mark D.Boughton, Mayor
Common Council Members

FROM: Richard M. Palanzo, Superintendent

RE: Monthly Report - JANUARY 2005

CC: W.J. Buckley Jr.

Attached please find the statistical analysis for repairs and maintenance work that the Public Buildings Mechanics engaged in during the month of November. In the month of November we received 77 new work requests and completed 456 work requests. In reviewing this report, you will find the repair time that was expended in major work categories, (current month versus previous month). Also listed is the total number of work order hours completed, (current month versus the previous month).

Our department was heavily engaged in mechanical repairs of the City's buildings and schools with a total of 231.00 man-hours dedicated to this service. The next largest area of concentration was in heating repairs, utilizing 159.00 man-hours of labor. Plumbing repairs were the third highest category with 136.50 man-hours.

Should you have any questions regarding this report, please do not hesitate to contact me at 797-4584. I am happy to discuss any portion of this report with you.

Enclosure

c/g/pub bldg/CCMRJAN05

MONTHLY REPORT
JANUARY 2005

	<u>LABOR HOURS</u>	<u>TOTAL HOURS THIS MONTH</u>	<u>TOTAL HOURS LAST MONTH</u>	<u>DIFFERENCE</u>	<u>PERCENT CHANGE</u>
ADMINISTRATION		0.00	0.00	0.00	0.00
CITY BLDGS	0.00				
SCHOOLS	0.00				
CARPENTRY		0.00	0.00	0.00	0.00
CITY BLDGS	0.00				
SCHOOLS	0.00				
ELECTRICAL		73.50	206.64	-133.14	-64.43
CITY BLDGS	8.50				
SCHOOLS	65.00				
FIRE ALARMS		3.00	20.00	-17.00	-85.00
CITY BLDGS	0.00				
SCHOOLS	3.00				
HVAC		4.50	0.00	0.00	0.00
CITY BLDGS	4.50				
SCHOOL	0.00				
LOCKSMITH		8.00	10.00	-2.00	-20.00
CITY BLDGS	8.00				
SCHOOL	0.00				
MAINTENANCE		0.00	0.00	0.00	0.00
CITY BLDGS	0.00				
SCHOOLS	0.00				
HEAT		159.00	135.94	23.06	16.96
CITY BLDGS	75.00				
SCHOOLS	84.00				

MONTHLY REPORT
JANUARY 2005

	<u>LABOR TOTAL HOURS</u>	<u>TOTAL HOURS</u>	<u>DIFFERENCE</u>	<u>PERCENT</u>
	<u>HOURS THIS MONTH</u>	<u>LAST MONTH</u>		<u>CHANGE</u>
MECHANICAL		231.00	228.94	2.06
CITY BLDGS	170.50			0.90
SCHOOLS	60.50			
PLOWING		54.50	11.00	43.50
CITY BLDGS	0.00			395.45
SCHOOLS	54.50			
PLUMBING		136.50	153.00	-16.50
CITY BLDGS	70.00			-10.78
SCHOOLS	66.50			
ROOFING		2.00	21.50	-19.50
CITY BLDGS	0.00			-90.70
SCHOOLS	2.00			
COMPLETED WORK HOURS		752.50		

CAV/EXCEL/G/MR JAN05