

CITY OF DANBURY
DEPARTMENT OF PUBLIC WORKS



**155 DEER HILL AVENUE
DANBURY, CONNECTICUT 06810
(203) 797-4537 FAX (203) 796-1586**

MAYOR
Honorable Mark D. Boughton

PUBLIC WORKS DIRECTOR
Antonio Iadarola, P.E.

October 30, 2007

Honorable Mayor Mark D. Boughton
Honorable Members of the Danbury Common Council
155 Deer Hill Avenue
Danbury, CT 06810

RE: Monthly Report for September 2007

Dear Mayor Boughton and Members of the Common Council:

I am pleased to present to you the Public Works Department report for the month of September.

The Public Works Department assisted with the Household Hazardous Waste Program, which enabled Danbury residents to dispose of hazardous waste in a safe and environmentally sound manner. This year's collection, held in late September, was once again very successful. Participation was up 42% over 2006, with 772 households served, more residents than in any previous year. I would like to thank the members of the Common Council and the Mayor for their assistance on the day of the scheduled collection.

Although the weather is still warm, we at the Public Works Department have winter on our minds. The crews, at the end of September, closed the parks and sprayscapes for the season. The Equipment Maintenance Division began the maintenance of all of our snowplowing and de-icing equipment. All drop-in sanders will be fully serviced and operational. Our Equipment Maintenance Division has done a great job, not only performing the maintenance on this equipment, but keeping two busy construction crews on the road along with the balance of the Public Works Department equipment. I want to personally thank Mark Saumell and his crew for the hard work they have performed, especially in light of having a mechanic vacancy within their division.

The Forestry Division will be starting to cut back the plowing routes to remove any low tree limbs in an effort to safeguard damage to truck antennas, mirrors, strobes, and windshields.

A pilot program will be initiated using Magic Salt this winter. Magic Salt is a highly effective de-icing product which is less corrosive, safe for concrete and brick, and is environmentally friendly. I allocated funds in last year's budget, knowing that we would have our dome ready for the implementation of this pilot program. Due to the nature of this product, the treated salt has to be under cover. I will update you on this pilot program in the next monthly Common Council Report.

As you will see from their reports, all divisions in Public Works are working on many projects. Overall, we all strive to serve the public and the concerns that the Mayor's Office and individual Common Council members bring to us while also performing our infrastructure maintenance and new construction.

Should you have any questions regarding this report or any of the separately submitted division reports, please call me at 797-4537.

Construction Services report submitted by Tom Hughes, Superintendent of Construction Services:

Danbury High School ADA – A new ADA handicap access pathway from the stadium to the athletic fields has been completed. The paved path starts on the easterly side of the stadium, ending adjacent to the women's softball field. Our tennis courts are now compliant, which involved installing a series of gates into the existing fence, allowing handicap access. We also contracted to install new railings along the existing ADA ramp from Building D to the stadium. This work is expected to be complete in early October, at approximately 50% of the projected cost, using our own workforce and contractors from our City Bid list.

Kaplanis Memorial Field – The opening ceremony will be held October 13, 2007. The bronze plaque featuring a bust of Steve Kaplanis was installed in September. The following items have been completed:

- The commercial kitchen
- The bleachers
- The scoreboard
- The public address system
- Paving

The Field House will be ready for final inspection for CO shortly and the interior finish is well underway. The Public Buildings Division performed all of the electrical work, resulting in a project savings. This project is close to completion.

Local Bridges – The Rose Hill Avenue Bridge repair project rebids were opened early this month and the contract was awarded to Loureiro Contractors. Working with the Engineering Division to finalize plans & easements for Backus Avenue, Padanaram Road over East Lake Brook and Padanaram Road over Margerie Brook Bridges. The City Engineer would like to bid these projects this fall. Also in conjunction with Engineering, we have inspected several bridges and continue to monitor the bridges listed to be replaced in the near future.

Sand & Salt Shed – The dome is complete and the electrical lighting has been installed. The paving of the interior and exterior of the building was completed in mid-September.

Williams Street – Construction Services is working with the Engineering Division to install curbing, drainage, sidewalks and re-pave a section of Williams Street from West Wooster to East Pearl Street.

White Street Streetscape – The project is out to bid.

FEMA – Working with Assistant Finance Director Dan Garrick, we have reviewed the submissions made to FEMA for repairing storm damage associated with the April 16th storm. The Finance Department expects to receive final approvals from the State shortly. Once these funds are received, Construction Services can begin the repairs to Candlewood Park, Church Hill Lane, Filmore Street Bridge, Padanaram Reservoir Overflow/Stream Bed, Rowan Street Park, and Debris Removal under West Street Bridge.

Rogers Park – Westerners' Field has been assessed and we are in the process of designing the corrective measures. The drainage work will be done in-house, the field will be rebuilt with an outside contractor.

Should you have any questions regarding this report or any issues related to the Construction Services Division, please feel free to call me at 796-8069.

Engineering report submitted by Farid L. Khouri, P.E., City Engineer:

Assessment Projects: The Nancy Drive/Carolyn Avenue area sanitary sewer assessment project is almost complete. The contractor paved all roads associated with this project, with some roads being reclaimed and paved rather than milled and paved. New curbs and storm drainage lines were installed on some of these roads for better drainage control. The Wood Street/East Pembroke Road sanitary sewer assessment project is 75% complete. The new sewer line for Old Farm Road has been inspected and residents are connected. The Olive Street/Tilden Road area sanitary sewer assessment project final design plans are in our office for final review for bidding.

The Library Place Parking Garage is expected to be complete by this November. The contractor is working on the installation of the exterior brick façade, the elevator and finishing interior rooms.

Geopiers on the Roberts Avenue Replacement School Phase II project is complete. Other contractors have mobilized on site.

Regarding the new Police Department Headquarters project, remediation work is progressing effectively.

As for our Traffic Division, the traffic engineer and his two technicians, continue to work on the City's traffic signals to better enhance the vehicular movement on our major roads and install new traffic signals. They also perform reviews of land use development projects.

Staff Engineers are reviewing various site plans, special exception and subdivision applications for approval.

The plans for repair of the two Padanaram Road bridges are 100% complete and ready to go out to bid next month. Easements have been secured.

Should you have any questions regarding this report or its contents, or any other issues related to your Engineering Division, please do not hesitate to contact me at 797-4641.

Forestry report submitted by Mark Miller, Foreman of Forestry Department:

In September the Forestry Department crew worked at Immanuel Lutheran School, pruning, trimming and removing overgrown bushes and dead wood on the playground and over the building, and removing the old wooden playscape. At the City Center Green, we also pruned and trimmed the trees away from the buildings and over the sidewalks. Top soil and six yards of brown mulch was delivered for the Danbury Garden Club at the old jail. The banners were removed from the Westerners' Field in Rogers Park. An elm tree was pruned over the firehouse at Engine Company 23. Stump grinding for sidewalk repairs was done on Gregory and Liberty Streets.

The Forestry Department removed many hazardous trees in September. Following is a list of trees pruned or removed: several trees removed for drainage and sight lines on Beaver Brook Road; a dead maple removed on Concord Road; one dead walnut and four dead maples removed on Deer Hill Avenue; pruned pines near Deer Park Road stop sign; removed four dead ashes on Driftway Road; removed a birch on East Lake Road; removed a large butt on East Pembroke Road; pruned a hickory at First Street and Virginia Avenue; removed two dead maples on Holley Street; removed a dead maple at 13 Margerie Street; removed dead maples on La Mar Road; removed a butt on Summit Street; removed a dead oak on Tamarack Avenue; and three dead trees were removed on Ye Olde Road.

Please contact me at 797-4609 if you should have any questions. Thank you.

Highway report submitted by Duke Hart, Superintendent of Public Services:

During the month of September, the Highway Department focused on completing major drainage projects and our paving program before the winter months are upon us. Backfilling of curbing installed on our newly paved roads began this month, while paving continued on Birch Road and Fox Den Road; new curbing and aprons were installed on Birch Road, Briar Ridge Road, Cel Bret Road, Fox Den Road, and Pine Mountain Road. In-house paving of potholes, aprons and the installation of curbs continues. New drainage pipes and catch basins were installed on Oak Street and Westwood Terrace, as well as eight other locations. The department also installed drainage at the Westerners' Field at Rogers Park, hoping to alleviate some of the water problems.

The new Salt and Sand Shed at the Public Works Complex is almost complete and material will be moved in soon. New street signs were installed at 12 locations, in addition to repairing six signs and sign poles. The department cleans up litter one day each week and a sweeper is out every day to maintain our City streets. On rainy days, we send out the bag trucks to police for leaf bags and brush. The downtown garbage trucks empty the inner-City garbage cans and pick

up debris daily. Our vacuum machine is out every day in the downtown area picking up litter. Keeping our City streets clean is a never-ending task.

Should you have any questions regarding this report, please feel free to contact me at 797-4605.

Parks Maintenance report submitted by Duke Hart, Superintendent of Public Services:

Although Danbury has had very little rain, the grass keeps on growing, therefore, the Parks Maintenance Department continued to mow the grass that wasn't burnt due to the lack of rain during September. School is now in session and the grounds look very good due to the extensive work done over the summer. All of the local fields were groomed and lined for the fall sports programs, which are underway. This year's Taste of Danbury was a great success. The department also provided manpower to the Forestry Department to assist with the removal of dead trees throughout the City this month.

Should you have any questions regarding this report, please feel free to contact me at 797-4605.

Public Buildings report submitted by Rick Palanzo, Superintendent of Public Buildings:

During the month of September the Public Buildings Division staff was engaged in several projects in addition to the regular maintenance and repair of Danbury public and school buildings. The electricians and plumbing crew began the installation of the electrical and plumbing fixtures at the Kaplanis Memorial Field House and the work is 90% complete. The remediation of the underground fuel storage tank and new gasoline fueling station at the Fire Department Headquarters building on New Street is 95% complete; the new fuel metering device has been installed and training is scheduled for October 16, 2007. WIC has applied for and obtained funds to carpet the offices at 13 Main Street; the carpet has been selected and is scheduled for installation by the end of October. The Roberts Avenue School gym roof has been replaced. The rehabilitation to the Public Works Complex is slated to begin in October; the buildings will receive a fresh coat of paint, the leaky roof will be replaced and new building identification signage will be installed. Weather permitting, this work should to be completed by the end of October. The renovation to the building at #1 Memorial Drive is progressing; the new roof and gutters have been installed and this building is now water tight and ready for the next phase of renovation. The work to be done includes a new electrical system with new fixtures, a new heating and air conditioning system, handicapped accessibility to the first floor with a handicapped lavatory, new windows, and maintenance-free shingles for the exterior.

Attached please find the statistical analysis for repairs and maintenance work that the Public Buildings Division mechanics engaged in during the month of September. We received 166 new work requests and completed 148 work requests. In reviewing this report, you will find the repair time that was expended in major work categories (current month versus previous month). Also listed is the total number of work order hours completed (current month versus the previous month). The Division was heavily engaged in electrical repairs of the City's buildings and schools, with a total of 335.50 man-hours dedicated to this service. The next area of concentration was in plumbing repairs, utilizing 147.00 man-hours of labor. Mechanical repairs were the third highest category, with 123.00 man-hours. A total of 252.50 man-hours were spent on special projects.

Should you have any questions regarding this report, I am happy to discuss any portion with you. Please do not hesitate to contact me at 797-4584.

See appendix "A" for attachments.


Public Utilities report submitted by Dave Day, Superintendent of Public Utilities:

Enclosed is the monthly report to the Common Council for activities that took place in September 2007. Also attached is the Public Utilities Vehicle Maintenance report. As of October 19, there are 66 hydrants out of service. Repairs to hydrants are continuing.

Should you have any questions regarding this report, I will be happy to review the information with you. Please contact me at 797-4539.

See appendix "B" for attachments.

Sincerely,



Antonio Iadarola, P.E.
Director of Public Works

AI/ck

C: Tom Hughes, Construction Services Division
Farid Khouri, P.E., Engineering Division
Mark Miller, Forestry Division
Richard Palanzo, Public Buildings Division
Duke Hart, Public Services Division
David Day, P.E., Public Utilities Division

City of Danbury
Monthly Report September 2007

	Labor Hours	Total Hours This Month	Hours Last Month	Percent Difference	Change
Carpentry		79.50	78.00	1.50	1.89
City Bldgs	0.00				
Schools	79.50				
Electrical		203.00	335.50	-132.50	-65.27
City Bldgs	0.00				
Schools	203.00				
HVAC		52.00	40.00	12.00	23.08
City Bldgs	0.00				
Schools	52.00				
Maintenance		157.00	112.00	45.00	28.66
City Bldgs	0.00				
Schools	157.00				
Mechanical		146.00	123.00	23.00	15.75
City Bldgs	0.00				
Schools	146.00				
Plowing		0.00	0.00	0.00	0.00
City Bldgs	0.00				
Schools	0.00				
Plumbing		248.50	147.00	101.50	40.85
City Bldgs	0.00				
Schools	248.50				
Roofing		0.00	0.00	0.00	0.00
City Bldgs	0.00				
Schools	0.00				

Maintenance and Repair hours 1,134.50
Project hours 768.50

New Work Requests received 190
Work Requests completed 243



CITY OF DANBURY
DEPARTMENT OF PUBLIC UTILITIES
155 DEER HILL AVENUE
DANBURY, CT 06810

(203) 797-4637
 FAX (203) 796-1590

TO : Common Council - City of Danbury
 FROM : David Day, Superintendent of Public Utilities
 DATE : October 18, 2007
 RE : WATER DEPARTMENT REPORT : SEPTEMBER 2007

I. WATER PRODUCTION :

A) Margerie Water Treatment Facility :	<u>96.3</u>	MG.
B) West Lake Water Treatment Facility :	<u>176.8</u>	MG.
C) Kenosia Well Field :	<u>0</u>	MG.
D) Osborne Street Well Field :	<u>0</u>	MG.
E) Other :	<u>0</u>	MG.

(MG. = Million Gallons)

II. RAINFALL :

A) Month :	<u>0.7</u>	inches
B) Past 12 Month Period :	<u>64.1</u>	inches
C) Current Year (Jan.- Current Mo.) :	<u>36.7</u>	inches

III. WATER STORAGE :

A) Margerie Reservoir :	<u>85.5</u>	%	
B) West Lake Reservoir :	<u>76.3</u>	%	date: 9/4/2007
C) East Lake Reservoir :	<u>75.0</u>	%	
D) Total :	<u>79.8</u>	%	

IV. WATER PUMPED :

A) Park Avenue Pump Station :	<u>0</u>	<u>MG.</u>
B) Padanaram(High School) Pump Station :	<u>6.43</u>	<u>MG.</u>
C) Shelter Rock Pump Station :	<u>3.43</u>	<u>MG.</u>
D) WestConn Pump Station :	<u>2.69</u>	<u>MG.</u>
E) Margerie Pump Station :	<u>1.74</u>	<u>MG.</u>
F) Pleasant Acres:	<u>2.07</u>	<u>MG.</u>
G) Nabby Road:	<u>1.88</u>	<u>MG.</u>
H) Harvest Hill:	<u>4.20</u>	<u>MG.</u>
I) West Lake High Service :	<u>62.7</u>	<u>MG.</u>
J) Total Water Pumped (A-I) :	<u>85.1</u>	<u>MG.</u>

(MG. = Million Gallons)
(* = estimated)

V. WATER TRANSFERRED :

A) East Lake to Margerie Reservoir :	<u>36.3</u>	<u>MG.</u>
B) Padanaram to Margerie Reservoir :	<u>0</u>	<u>MG.</u>
C) Kohanza to West Lake Reservoir :	<u>0</u>	<u>MG.</u>
D) Kenosia Diversion to West Lake Reservoir :	<u>0</u>	<u>MG.</u>
E) Kenosia Wells to West Lake Reservoir :	<u>0</u>	<u>MG.</u>
F) Total Water Transferred (A-E):	<u>36.3</u>	<u>MG.</u>

(MG. = Million Gallons)

VI. ALGAE CONTROL :

- A) Margerie Reservoir - 5000 pounds of Copper Sulfate
- B) _____
- C) _____

VII. SURVEY OF WATER SOURCES :

- A) Daily testing of treated and untreated water by Water Quality Laboratory.
- B) _____
- _____

VIII. SUPERINTENDENTS NOTES :



CITY OF DANBURY
DEPARTMENT OF PUBLIC UTILITIES
155 DEER HILL AVENUE
DANBURY, CT 06810

(203) 797-4637
FAX (203) 796-1590

M E M O R A N D U M

DATE: October 19, 2007
TO: City of Danbury, Common Council
FROM: David M. Day, P.E., Superintendent – September 2007
RE: Sanitary Sewer Collection System Maintenance

Complaints: 16

Number Received: 16

Number Completed: 16

Pipe Cleaned: 800 LF

Gallons of Water Used: 18,000

Pipe Inspected:

COMMENTS:

CITY OF DANBURY
PUBLIC UTILITIES

OCT 11 2007


 Demand Date _____
 Payment _____
 File Code _____

To: David Day, P.E., Supt. of Public Utilities, City of Danbury

From: Walter Royals, Project Manager

Subject: WPCP Report For Month of: September, 2007

Date: 10/09/07

I. Wastewater Treatment:

A) Sewage Processed:	7.6 MGD (Daily Avg)	226.9 Million Gallons Total
B) Septic Waste Processed:		1,087,650 Gallons Total
C) Sludge Pumped To Digesters:		496,591 Pounds Total

II. Wastewater Quality

	Influent	Effluent	% Removal	Effluent Limit
A) BOD (mg/l)	273	3	99	30 mg/l and 85%
B) Total Suspended Solids (mg/l):	300	2	99.2	30 mg/l and 85%
C) Total Phosphorus (mg/l):	7.2	0.6	92	1.0 mg/l
D) Ammonia (mg/l):	29.0	0.15	99	1.5 mg/l
E) Total Nitrogen (lbs/Day):	2,708	1,503	45	643 lbs/day

Note: Phosphorus limits apply May - September.

Nitrogen limit for credit trading only.

III. Pump Station Operation:

A) Beaver Brook:	710.1 Hours Run
B) Southfield:	25.2 Hours Run
C) Mill Plain:	722.6 Hours Run
D) Backus:	105.2 Hours Run
E) Tarrywile	27.0 Hours Run
F) Turner Road:	75.3 Hours Run
G) Ford Avenue:	21.3 Hours Run
H) Indian Glen:	64.1 Hours Run
I) Delay Street:	32.3 Hours Run
J) Hayestown Road:	43.4 Hours Run
K) Kenosia Avenue:	4.0 Hours Run
L) Larson Drive:	50.6 Hours Run
M) Landfill:	130.1 Hours Run

Total Station Alarms: 1

EQUIPMENT MAINTENANCE
BUILDING #4
SEPTEMBER 2007

<u>DATE</u>	<u>VEHICLE</u>	<u>REPAIR DONE</u>	<u>DEPT.</u>
9/1/2007	SANDERS	SEASONAL OVERHAUL	HIGHWAY
9/4/2007	01-E-83	REMOVE DEBRIS FROM MAIN BROOM	HIGHWAY
	03-I-9	REAR BRAKES	HIGHWAY
	01-F-41	FRONT FLAT REPAIR	HIGHWAY
	05-F-54	REPAIR WINDSHEILD WASHERS	HIGHWAY
	04-JD-67	HAND BRAKE WON'T RELEASE	HIGHWAY
	94-I-4	BRAKE AIR LEAK	HIGHWAY
9/5/2007	04-JD-67	SERVICE/HADBRAKE REPAIR	HIGHWAY
	94-I-4	BRAKE AIR LEAK	HIGHWAY
	99-F-105	REPAIR LIGHT	HIGHWAY
	214DA	WATER IN AIR SYSTEM	HIGHWAY
	06-E-40	SIDE BROOM	HIGHWAY
	JCB BACKHOE	DRAIN HYDRAULIC SYSTEM/CHANGE FILTERS	WATER
	210DA	LEFT REAR SIGNAL OUT	PUBLIC BLDG
	286DA	FRONT BRAKE PROBLEM	PUBLIC BLDG
9/6/2007	286DA	FRONT CALIPERS/TIRE	PUBLIC BLDG
	04-JD-67	REPLACE STABLIZER CYLINDER	HIGHWAY
	99-F-109	ROLLER BEARING BOLTS	HIGHWAY
	97-E-100	ROAD SERVICE-WATER SYSTEM	HIGHWAY
	01-E-83	MAIN/SIDE BROOMS	HIGHWAY
	06-E-40	MAIN/SIDE BROOMS	HIGHWAY
9/7/2007	06-E-40	MAIN/SIDE BROOMS	HIGHWAY
	178DA	WELD CUTTING BLADE	HIGHWAY
	48DA	REPAIR FRONT TIRE	HIGHWAY
	151DA	ADJUST PLOW HEIGHT/INSTALL SIDE STEPS	FORESTRY
	96-I-20	SERVICE	HIGHWAY
9/8/2007	SANDERS	SEASONAL OVERHAUL	HIGHWAY
9/10/2007	96-I-20	SERVICE	HIGHWAY
	03-I-9	SERVICE	HIGHWAY
	HANDROLLER	REPAIR HANDLE	HIGHWAY
	286DA	FRONT WHEEL BEARING	PUBLIC BLDG
9/11/2007	96-I-20	SERVICE	HIGHWAY
	286DA	LEFT FRONT WHEEL BEARING	PUBLIC BLDG
	01-F-24	SERVICE/BRAKES/FRONT END	HIGHWAY
	178DA	REPAIR CUTTERHEAD	HIGHWAY
9/12/2007	01-F-24	SERVICE/BRAKES/FRONT END	HIGHWAY
	178DA	REPAIR CUTTERHEAD	HIGHWAY
	01-E-83	ROAD SERVICE-SIDE BROOM	HIGHWAY
	06-E-40	REPLACE SIDE BROOM	HIGHWAY
	CONST CREW	ROAD SERVICE-CUT POLES	HIGHWAY
	92-F-74	ROAD SERVICE-NO START	HIGHWAY
	07-P-44	CHECK AXLE BOLTS	HIGHWAY
9/13/2007	01-E-83	REBUILD SIDE BROOM ASSEMBLY	HIGHWAY
	01-F-24	SERVICE/BRAKES/FRONT END	HIGHWAY
	92-F-74	SERVICE/REPLACE STARTER & IGNITION CYL.	HIGHWAY
	286DA	FRONT END SHIMMY	PUBLIC BLDG
	97-E-100	ROAD SERVICE-TRAILING	HIGHWAY
	00-I-7	ROAD SERVICE-DIED OUT ON ROAD	HIGHWAY
	75DA	ELECTRICAL	BLDG INSP
9/14/2007	75DA	ELECTRICAL	BLDG INSP

EQUIPMENT MAINTENANCE
BUILDING #4
SEPTEMBER 2007

	01-E-83	REBUILD SIDE BROOM ASSEMBLY	HIGHWAY
	01-F-24	SERVICE/BRAKES/FRONT END	HIGHWAY
	01-F-50	REPLACE BELTS	HIGHWAY
	286DA	BALANCE FRONT TIRES	PUBLIC BLDG
	04-JD-67	REPAIR BOOM PIN	HIGHWAY
9/15/2007	01-F-24	SERVICE/BRAKES/FRONT END	HIGHWAY
	04-JD-67	REPAIR BOOM PIN	HIGHWAY
9/17/2007	SANDERS	SEASONAL OVERHAUL	HIGHWAY
	00-I-7	ELECTRICAL	HIGHWAY
	99-F-105	BENT MOULDING DUMPBODY	HIGHWAY
9/18/2007	75DA	ELECTRICAL	BLDG INSP
	210DA	L/F INNER DOOR HANDLE	PUBLIC BLDG
	94-I-91	REPLACE 4 REAR TIRES	HIGHWAY
	90-I-28	ELECTRICAL	HIGHWAY
	05-I-32	ELECTRICAL	HIGHWAY
9/19/2007	06-E-40	TIGHTEN MUFFLER	HIGHWAY
	89-F-109	HYDRAULIC LEAK-ROLLER BEARINGS	PARKS
	05-I-32	REPLACE BATTERIES	HIGHWAY
	210DA	ROAD SERVICE-NO START/REPLACE STARTER	PUBLIC BLDG
	05-I-26	ELECTRICAL	HIGHWAY
	06-E-40	ROAD SERVICE-REPLACE SHEAR PIN	HIGHWAY
	315DA	VALVE HANDLE REPAIR	FORESTRY
9/20/2007	05-I-26	ELECTRICAL	HIGHWAY
	65DA	SERVICE	FORESTRY
	70DA	FILL MOTOR OIL/COOLANT	HIGHWAY
	06-E-40	SIDE BROOM	HIGHWAY
	90-I-47	STRAIGHTEN SANDER CHUTE/REAR WHEEL SEAL	HIGHWAY
	178DA	TIGHTEN BOLTS ON FLAILHEAD	HIGHWAY
	106DA	SERVICE/TIRE PRESSURE SENSOR	HIGHWAY
	133DA	BALANCE FRONT TIRES	BLDG INSP
9/21/2007	93-F-96	POWER STEERING LEAK/CHECK FRONT END	HIGHWAY
	92-F-74	REAR FLAT TIRE	HIGHWAY
	133DA	ALIGNMENT	BLDG INSP
	94-I-15	SERVICE/REAR BRAKES	HIGHWAY
	89-F-109	REPLACE FLAILHEAD ROLLER BEARINGS	PARKS
9/22/2007	SANDERS	SEASONAL OVERHAUL	HIGHWAY
9/24/2007	89-F-109	REPLACE FLAILHEAD ROLLER BEARINGS	PARKS
	94-I-15	SERVICE/REAR BRAKES	HIGHWAY
	210DA	REPAIR DOOR LOCK/ARMREST	PUBLIC BLDG
	178DA	WELD CUTTING BLADE	HIGHWAY
	06-E-40	ROAD SERVICE-MAIN BROOM CHAIN	HIGHWAY
	97-E-100	SIDE BROOM/DIRT DEFLECTOR	HIGHWAY
9/25/2007	94-I-15	SERVICE/REAR BRAKES	HIGHWAY
	00-I-7	MUDFLAP/CHECK OVER	HIGHWAY
	70DA	ROAD SERVICE-COOLANT LEAK	HIGHWAY
	92-F-74	REPLACE TOP RADIATOR HOSE	HIGHWAY
	90-I-17	SERVICE/SWITCH TO JET SANDER	HIGHWAY
	TORO MOWER	ROAD SERVICE-NO START	PARKS
	00-I-8	ROAD SERVICE-WON'T SHIFT	HIGHWAY
9/26/2007	94-I-15	SERVICE/REAR BRAKES	HIGHWAY
	90-I-17	SERVICE/SWITCH TO JET SANDER	HIGHWAY

EQUIPMENT MAINTENANCE
BUILDING #4
SEPTEMBER 2007

	178DA	FLAILHEAD BOLT	HIGHWAY
	56DA	REAR FLAT TIRE	PARKS
	06-E-40	MAIN BROOM	HIGHWAY
	01-E-83	ROAD SERVICE-ENGINE COMPARTMENT DOOR	HIGHWAY
	97-I-29	CHECK/ADJUST BRAKES	HIGHWAY
	00-I-16	PERFORMANCE PROBLEM	HIGHWAY
	89-F-109	MUFFLER	PARKS
9/27/2007	89-F-109	MUFFLER	PARKS
	90-I-17	FRONT END/SWITCH TO JET SANDER	HIGHWAY
	97-JD-82	SERVICE	HIGHWAY
9/28/2007	90-I-17	FRONT END	HIGHWAY
	97-JD-82	SERVICE	HIGHWAY
	42DA	FRONT TIRES/ADJUST BRAKES	FORESTRY
	178DA	ROAD SERVICE-ELECTRICAL PROBLEM	HIGHWAY
	97-C-58	ROAD SERVICE-JUMP START	HIGHWAY
	247DA	SERVICE	PUBLIC BLDG
	06-E-40	SIDE BROOM ADJUSTMENT	HIGHWAY
	214DA	TIRES/PLOW FRAME BENT	PUBLIC BLDG
	178DA	ROAD SERVICE-ELECTRICAL PROBLEM	HIGHWAY
9/29/2007	SANDERS	SEASONAL OVERHAUL	HIGHWAY

MAINTENANCE REPORT BUILDING # 6

9/4/2007	6DA	POLICE	SERVICE
	12DA	POLICE	SERVICE
	19DA	POLICE	SERVICE BRAKES
	37981	SENIOR	SERVICE BRAKES LIFT
9/5/2007	DET	POLICE	SERVICE
	4DA	POLICE	SERVICE
	8DA	POLICE	SERVICE
	340DA	WATER	EXHAUST SERVICE BRAKES
9/6/2007	4DA	POLICE	SERVICE
	8DA	POLICE	SERVICE
	MOWER	WATER	SERVICE FUEL SHUTOFF
9/7/2007	4DA	POLICE	TUNE UP
	360DA	WATER	EXHAUST SERVICE BRAKES
	287DA	POLICE	SERVICE BRAKES
9/10/2007	MOWER	WATER	SHORT
	337DA	POLICE	NOISE
	285DA	POLICE	SERVICE
9/11/2007	340DA	WATER	EXHAUST SERVICE BRAKES
	18DA	POLICE	AXEL
	113DA	POLICE	SERVICE BRAKES
9/12/2007	113DA	POLICE	SERVICE BRAKES
	8DA	POLICE	ABS BRAKES
	18DA	POLICE	AXEL
	349DA	PARKS	RADIATOR SERVICE DOOR
9/13/2007	18DA	POLICE	AXEL
	349DA	PARKS	RADIATOR SERVICE DOOR
	DET	POLICE	SERVICE BRAKES
9/14/2007	334DA	POLICE	BRAKES
	DET	POLICE	BRAKES SERVICE
	KABOTA	WATER	CLUTCH
9/17/2007	18DA	POLICE	NOISE
	5DA	POLICE	NO HEAT
	KABOTA	WATER	CLUTCH
	DET	POLICE	RECALL SERVICE
9/18/2007	DET	POLICE	SERVICE
	DET	POLICE	SERVICE BRAKES TIRES
	KABOTA	WATER	CLUTCH
9/19/2007	KABOTA	WATER	CLUTCH
	167DA	PARKS	WINDOW REGULATOR
	DET	POLICE	SERVICE TRANNY
	18DA	POLICE	NOISE
	DET	POLICE	SERVICE BRAKES TIRES
9/21/2007	18DA	POLICE	AXEL BEARING
	167DA	PARKS	POWER STEERING
	5DA	POLICE	NO HEAT
9/24/2007	KABOTA	WATER	CLUTCH

	11DA	POLICE	LIGHTS
	7DA	POLICE	SERVICE
9/25/2007	DET	POLICE	ENGINE LIGHT
	89DA	WATER	SERVICE EXHAUST
	15DA	POLICE	TRANNY ABS LIGHT
	37981	SENIOR	SOLINOID
9/26/2007	4DA	POLICE	BATTERY
	7DA	POLICE	RUNS POOR
	274DA	WATER	SERVICE
	334DA	POLICE	BRAKES
9/27/2007	15DA	POLICE	TRANNY
	190DA	POLICE	SERVICE
	274DA	WATER	BATTERY A/C
	12DA	POLICE	WINDOW
9/28/2007	3DA	POLICE	SERVICE
	352DA	POLICE	SERVICE
	287DA	POLICE	INTAKE
	DET	POLICE	SERVICE